

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)

PCT

(10) International Publication Number  
**WO 2004/026888 A2**

(51) International Patent Classification<sup>7</sup>: **C07H**  
(21) International Application Number:  
PCT/US2003/029577  
(22) International Filing Date:  
19 September 2003 (19.09.2003)  
(25) Filing Language: English  
(26) Publication Language: English  
(30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US

(71) Applicants (for all designated States except US): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).


(72) Inventors; and  
(75) Inventors/Applicants (for US only): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Philip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).

(74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).

(81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.

WO 2004/026888 A2



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— *without international search report and to be republished upon receipt of that report*

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory  
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune  
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)  
*Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for  
biological activity and it is reported that optimal CpG DNA sequences can vary among  
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.  
10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.  
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9  
recognizes CpG DNA is not understood.

### Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal  
in response to CpG DNA. To date, the amino acid sequences only of human and murine  
TLR9 have been reported, and, interestingly, these two species are known to prefer different  
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet  
been fully elucidated. The instant invention provides, in part, novel amino acid and  
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are  
useful for elucidating certain key structural features of TLR9. Specifically, comparison of  
sequences of murine, human, and these novel TLR9 sequences permits identification of areas  
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In  
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9  
25 molecules of the various species, as well as an assessment of inter-species homologies.  
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9  
that may be involved in the CpG binding site, as well as amino acids involved in conferring  
species specificity for particular CpG motifs. Such information may be used to design and  
construct novel TLR9 molecules which incorporate specific point or regional mutations and  
30 which possess desired ligand binding characteristics. Such information may also be useful in  
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an  
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,  
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID  
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid  
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the  
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a

- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species. The method involves aligning protein sequences of TLR9 of a first species,  
20 TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is  
25 identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
 TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
 TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
 5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
 embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
 embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
 CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
 10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
 pathway is measured quantitatively and the response mediated by the TLR9 signal  
 transduction pathway associated with each of the plurality of test compounds is compared  
 with a response arising as a result of an interaction between the functional TLR9 and a  
 reference immunostimulatory compound.

15

### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
 sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
 (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
 20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
 sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
 human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
 porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
 oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

### Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9  
 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
 features of the primary sequences of these and related TLR molecules, including previously



- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

- 9 -

## SEQ ID NO:1 (Rat TLR9)

5 MVLCRRTLHPLSLLVQAALAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTEIPKTFILAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 SHTNILLVDASSLAGLHSLRVLFMDGNCYKNPCNGAVNVTDAFLGLSNLTHLSLKYNLNLTEVPRQLPPSLEYL  
 10 LLSYNLIVKLGAEEDLANLTSRLMLDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDDSSLHSLN  
 SKWFQGLANLSVLDLSENFLYESINKTSFAQNLTIRLKLDSLFSNYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLLNKNLTIRWLAGLPKLHLLHLMQNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW  
 PASLTPALPSTPVSKNFMVRCKNLRFMTDLNRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 15 VLDLSYNKLDLYHKSFSSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDMSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYPKSLTKLSFRDNHLSFFNWSSIA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLVDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSL  
 AVAVGTVLPLLOHLCGWVWYCFHLCLAWLPPLTRGRSAQALPYDAFVVFDAQSAVADWVYNELRVRLERERG  
 20 RRALRLCLEDRDWLPGQTLFENLWASIYGSRKTLFVLAHTDKVSGLLRTSFLLAQQRLLLEDKDVVVLVILRPDA  
 HRSRYVRLRQLCRQSVLFWPHQPNGQGSFWAQLSTALTRDNHHFYNRNFCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

20 MVLCRRTLHPLSLLVQAALAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTEIPKTFILAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 SHTNILLVDASSLAGLHSLRVLFMDGNCYKNPCNGAVNVTDAFLGLSNLTHLSLKYNLNLTEVPRQLPPSLEYL  
 LLSYNLIVKLGAEEDLANLTSRLMLDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDDSSLHSLN  
 SKWFQGLANLSVLDLSENFLYESINKTSFAQNLTIRLKLDSLFSNYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 25 FRLLNKNLTIRWLAGLPKLHLLHLMQNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW  
 PASLTPALPSTPVSKNFMVRCKNLRFMTDLNRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 VLDLSYNKLDLYHKSFSSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDMSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYPKSLTKLSFRDNHLSFFNWSSIA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 30 MNLTVLVDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG

## SEQ ID NO:3 (Rat TLR9)

atgggttctctgtgcgcaggaccctgcaccccttctctctcctggtagcaggccgcagtgctggctgaggctctggcc  
 ctgggtaccctgcctgccttctcctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
 aagtctgtgcctcacttctctgcccgcagaaccccggtccaacatcaccagccttctccttgatcgccaaccgcac  
 35 caccacctgcacaacctgcacttctgtccacctgcccaacgtgcgacagctgaacctcaagtggactgtccgccc  
 cctggcctcagcccttgcacttctcctgcgcagcagccttgagcccaaaccttctcctggctatgcgctctg  
 gaagagctgaacctgagctataaacggtatcaccactgtgcccgcctgcccagctccctgacgaatctgagccta  
 agccacaccaacatcctggtagctgagcagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
 40 ggggaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagcgccttctcctgggcttgagcaac  
 ctccaccacttgtcccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtagctc  
 ctgctgtcctataacctcatcgtcaagctgggggcccgaagccttagccaacctgacctcccttcgaatgcttgat  
 gtgggtgggaattgcgctgctgtgatcacgccccgacctctgtacagaatgcgggcagaagtccttctgatctg  
 caccctcagactttccatcacctgagccaccttgaaggcctgggtgctgaaggacagttctctcactcgctgaac  
 45 tccaagtgggtccagggtctggcgaaacctctcggtgctggacctgaagcagaacttctctacgagagcatcaac  
 aaaaccagcgcccttccagaacctgaccgctctgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg  
 ttccgcccgcctccacctggcaagttccttcaagagcctgggtgctgctgcgagagctgaacatgaacggcatcttc  
 ttccgcttactcaacaagaacacgctcaggtggctgggtgctgcccgaagctccacacgctgcaccttcaaatg  
 aatttcatcaaccaggcgcagctcagcgtctttagtaccttccgagcccttcgcttcttgaggacctgtccaataat  
 50 cgcctcagcgggctccaacgctgtccagagctgccccgaaaaggcagacgagcgaggagggggtccatgg  
 cctgcaagtctcaccacagctctcccgagcactcccgctctcaagaacttcatggctcaggtgtaagaacctcaga  
 ttccacctggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
 tgtctgagcctgagccacaactgcatcgcgaggctgtcaatggctctcagttcctgcccgtgaccaacctgaag  
 gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctcccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggatagggcacaacttcagttttctggccaatctg  
 tccaggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
 gtggagtatctggacttcagcggcaacgggtgtggccgcgcatgtgggacgaggaggacctttacctctattttcttc  
 caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaaacctcaac  
 5 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc  
 ttctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
 ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtccagccttctttgtctctggcg  
 gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggttggggccattgtg  
 atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg  
 10 ctggaagtgcagaccaaggtgcctggcctggctaaccggtgtgaagtgtggcagtecccgccagctgcagggccgc  
 agcatctttgcgcaagacctgcccgtgtgcctggatgacgtcctttctcgggactgctttggcctttcactcctg  
 gctgtggccgtgggcacgggtgttgcctttactgcagcatctctgcggctgggacgtctgggtactgtttccatctg  
 tgcttgccatggctacctttgtgacccgtggccggcgcagcgcaccaagctctcccttatgatgccttcgtgggtg  
 ttcgataaggcgcagagcgcggttgcctgactgggtgtataacgagcttcgagtgccggttagaggagcggcgcggt  
 15 cgcgcagccctacgcttctgtctctggaggaccgagattggctgcctggccagacactcttcgagaacctctgggccc  
 tccatctatggcagccgcaagactctgtttgtgctggcccacacggacaaggtcagtgccctcctgcgcaccagc  
 ttctgctgggtcagcagcgcctgctggaggaccgcaaggacgtgggtggtggtgatcctgcgcctgatgcc  
 caccgctcccgctactgtgcgactgcgcagcgcctctgcgcgcagagtgtgctctctggccccatcagcccaac  
 ggccagggcagcttctgggcccagctgagtacagccctgactagggacaaccaccacttctataaccggaaacttc  
 20 tgccggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atgggttctctgtcgcaggaccctgcaccccttgtctctcctgggtacaggccgcagtgctggctgaggctctggcc  
 ctgggtaccttgcctgccttccctacctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
 25 aagtctgtgcctcacttctctgcgcgagaaccccggttccaacatcaccagcctttccttgatcgccaaccgcctc  
 caccacctgcacaacctcgactttgtccacctgccaacgtgcgacagctgaacctcaagtggaactgtccgccc  
 cctggcctcagcccttgcacttctcctgcgcgcatgaccattgagcccaaaaccttccctggctatgcgcgatgctg  
 gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgcccagctccctgacgaatctgagccta  
 agccacaccaacatcctggtagctgatgcagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
 30 gggaactgctactacaagaacccctgcaacggggcggtgaacgtgacccggagccttccctgggttgagcaac  
 ctcaaccacttgtcccttaagtataacaacctcagagaggtgccccgcaactgccccccagcctggagtagctc  
 ctgctgtcctataacctcatcgtcaagctggggggcgaagacctagccaacctgacctcccttcgaatgcttgat  
 gtgggtgggaattgcccgtcgtgtgatcacgccccgcacctctgtacagaatgcccggcagaagtcccttgatctg  
 caccctcagactttccatcacctgagccacctgaaaggcctgggtgctgaaggacagttctctccactcgctgaac  
 35 tccaagtgggtccagggtctggcgaaacctctcgtgtgctggacctaaaggagaaactttctctacgagagcatcaac  
 aaaaccagcgcctttcagaacctgacctgtgcgcaagctcgacctgtccttcaattactgcaagaagggtatcg  
 ttgcgcgcctccacctggcaagttccttcaagagcctgggtgctgcctgcaggagctgaacatgaacggcactcttc  
 ttccgcttactcaacaagaacacgctcaggtggctggctggctgctgccaagctccacacgctgcaccttcaaatg  
 aatttcatcaaccaggcgcagctcagcgtctttagtagaccttccgagcccttcgctttgtggacctgtccaataat  
 40 cgcacagcgggctccaacgctgtccagagtgcgcgcgaaaaggcagacgaggcggagaagggggttccatgg  
 cctgcaagtctcaccacctctctccgagcactccgctctcaagaacttcatgggtcaggtgtaagaacctcaga  
 ttccacctggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
 tgtctgagcctgagccacaactgcacgcgcaggctgtcaatggctctcagttcctgcgcgtgaccaacctgaag  
 gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctccacagttgcaggcc  
 45 ctggacctgagctacaacagccagccattcagcatgcaggggatagggcacaacttcagttttctggccaatctg  
 tccaggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
 gtggagtatctggacttcagcggcaacgggtgtgggcgcgcatgtgggacgaggaggacctttacctctattttcttc  
 caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaaacctcaac  
 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc  
 50 ttctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
 ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtccagccttctttgtctctggcg  
 gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggttggggccattgtg  
 atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg  
 ctggaagtgcagaccaaggtgcctggcctggctaaccggtgtgaagtgtggcagtcctccgcagctgcagggccgc  
 55 agcatctttgcgcaagacctgcccgtgtgcctggatgacgtcctttctcgggactgctttggc

- 11 -

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELQPHGLVNCNWFLKSVPHFSAAAPRANVTSLSLLSNRIH  
 HLHDSDFVHLSSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
 RTNILVLDPTHLTGLHALRYLYMDGNICYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTTEVPRSLPPSLETLL  
 5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDDSSLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRSLNLSFNYHKKVSFAHLHLAPSFHGLRSLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSNRIISGAARPVAITREVDGRERVWLP  
 NLAPRPLDTLRSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRSLSHNSISQAVNGSQFVPLTSLRV  
 10 DLSHNKLDLYHGRSFTELPRLALDLSYNSQPFMTQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCASLC  
 ALDFSGNDLSRMWAEGLDLYLRFFQGLRSLVWLDLSQNLHHTLLPRAIDNLPKSLKHLHLRDNNAFFNWSSTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVLVDVSANPLHCACGATFVGFLLEVQAAVPGLPSPRVKCGSPGQLQHSIFAQDLRLCLDETLSWNCFGISLLAM  
 ALGLVVPMLHHLGWDLWYCFHLCLAWLPHRGQRRGADALFYDAFVFDKAQSAVADWVYNELRVQLEERRGRRRA  
 15 LRLCLEERDWWLPKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLLAQQRLLLEDKDVVVLVILRPDAYRS  
 RYVRLRQRLCRQSVLLWPHQPRGQGSFQAQLCTALTRDNHFFYRNRNFCRGPTTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELQPHGLVNCNWFLKSVPHFSAAAPRANVTSLSLLSNRIH  
 HLHDSDFVHLSSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
 20 RTNILVLDPTHLTGLHALRYLYMDGNICYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTTEVPRSLPPSLETLL  
 LSYNHIVTLTPEDLANLTALRVLDVGGNCRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDDSSLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRSLNLSFNYHKKVSFAHLHLAPSFHGLRSLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSNRIISGAARPVAITREVDGRERVWLP  
 NLAPRPLDTLRSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRSLSHNSISQAVNGSQFVPLTSLRV  
 25 DLSHNKLDLYHGRSFTELPRLALDLSYNSQPFMTQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCASLC  
 ALDFSGNDLSRMWAEGLDLYLRFFQGLRSLVWLDLSQNLHHTLLPRAIDNLPKSLKHLHLRDNNAFFNWSSTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVLVDVSANPLHCACGATFVGFLLEVQAAVPGLPSPRVKCGSPGQLQHSIFAQDLRLCLDETLSWNCFG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcaactgtagctgctgcccggctctgccagccagacccttggagaagacccactccctgt  
 catgggcccccgctgcacccctgcaccccttctctcctggctgcaggtgacagcgctggctgcggctctggccca  
 gggcaggtgcctgccttctgcctgtgagctccagccccacggcctgggaactgcaactggctcttctctgaa  
 gtccgtgccccacttctcgccggcagcgcggccggcccaacgtcaccagcctctccttactctccaaaccgcatcca  
 35 ccacctgcacgactccgacttctgtccacctgtccagcctacgaactctcaacctcaagtgggaactgcccgccggc  
 tggcctcagccccatgcacttccctgccacatgaccatcgagcccaacaccttctggcgtgcccacctggga  
 ggagctgaacctgagctacaacagcatcacgacgctgacctgacctgcccgaactccctcgctgacctgctgctgag  
 ccgcaccaacatcctggtgctagacccacccacctcactggcctacatgcctgctgctacgtgacatggatgg  
 caactgctactacaagaacccctgccagggggcgctggaggtgggtgccgggtgacctcctcgccctgggcaacct  
 40 cacacatctctcactcaagtacaacaatctcacggaggtgccccgagcctgccccccagcctggagacctgct  
 gttgtcctacaaccacattgtcacccctgacgctgaggacctggccaatctgactgacctgctgctgctgctgctg  
 ggggggggaactgccgcccgtgtgacctgccccgaacccctgcagggagtgcccaaggaccaccccaagctgca  
 ctctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaagacagttctctctacaacctggacac  
 caggtgggttcgagggcctggacaggtccaaagtgtggacctgagtgagaacttctctacgactgcatcacaa  
 45 gaccacggccttccagggcctggccgactgctgcagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
 tgccacctgcacctggcacccctccttgggcacctccggtccctgaaggagctggacatgcatggcatcttctt  
 ccgctcgctcagtgagaccacgctccaacctctgggtccaactgctatgctccagacctgctgctgcatgaa  
 ctctcatcaaccaggccagctcagcatcttgggggaccttccctggcctgctgtacgtggacctatggacaaccg  
 50 catcagcggagctgcaaggccagtgccattactaggaggtggatggtagggagagggctggctgcttccag  
 gaacctcgctccacgtccactggacactctccgctcagaggacttcatgccaaactgcaaggccttcagcttcac  
 ctggacctgtctcggaacaacctgggtgacaatccagtcggagatgtttgctcgctctcacgcctcgagtgcct  
 gcgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgctgcgctgaccagcctgcccgggtgct  
 ggacctgtccacaacaagctggacctgtatcacggcgctcgttcacggagctgcccgcctgggaagcactgga  
 cctcagctacaatagccagcccttaccatgcaggggtgtgggccacaacctcagcttctggtggccagctgcccgc

- 12 -

cctgcgctacctcagcctggcgacacatccatagccgagtggtcccagcagctctgtagegcctcactgtg  
 cgccctggacttttagcggaacgatctgagccgatgtgggtgagggagacctctatctccgcttcttccaagg  
 cctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgcctggacaacct  
 cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
 5 gcccagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac  
 ccagctgcccaggtggacctcagtggaacagcatcggtttgtgaacctggcttctttgccctggccaagca  
 gttagaagagctcaacctcagcgccaatgcctcagaacagctggagccctcctgggtttggctcgatgggtgggcaa  
 cctgaaagtccctagacgtgagcgccaacctctgcaactgtgacctgtggggcgacctcctggggttctctgctgga  
 10 ggtacaggtgcccgtgctgggtgcccagccgctcaagtgtggcagctccggggcagctccagggccatagcat  
 ctttgcgcaagacctgcccctctgctggatgagacctctcgtggaactgttttggcatctcgtgctggccat  
 ggccctgggctgggttgtgcccctgctgcaccacctctgcccgtgggacctctggtaactgcttccacctgtgct  
 ggctggtgccccaccgagggcagcggcgggcgagacgacctgttctatgatgacctcctggttcttgacaa  
 agctcagagtgctgtggcgactgggtgtacaacgagctgcccgtgagctggaggagcgcctgggcccgcgc  
 actgcgctgtgctggaggagcagactggttacctggcaagacgctcttcgagaacctgtgggctcagctcta  
 15 cagcagccgcaagacctgttgtgctggccacacggacctgtcagcggcctcttgctgcccagtttctgct  
 ggccagcagcgcctgctggaggaccgcaaggacgttgtagtgtggtgatcctgcgcccagatgcttaccgctc  
 ccgctacgtgcccgtgcccagcgcctctgcccagagtgctcctcctctggccccaccagccccgtgggcaggg  
 cagcttctgggcccagctgggcacagccctgaccagggacaaccacctctataaaccggaactctgcccggg  
 cccacgacagccgaatagcactgagtgacagccaggtgccccagccccctggatttgctctctgcccggg  
 20 tggccccacctgcttctgctcagccacaccactgctctgctcctgttccccacccccccccagcctggcatgt  
 aacatgtgcccataaatgctaccggaggggccaagaaaaaaaaaaaaaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atgggcccccgctgcacctgcaccccccttctctcctgggtgcaggtgacagcgcctggctgcccgtctggccag  
 25 ggcaggtgctgctgcttctgcccgtgtgagctccagccccacggcctggtgaactgcaactggcttctcctgaag  
 tccgtgccccacttctcgccggcagcgcctccgggccaacgtcaccagcctctccttactctccaaccgcatccac  
 cactgcacgactccgacttctgctccactgtccagcctacgaactctcaacctcaagtggaaactgcccgcggct  
 ggctcagccccatgcaacttcccctgcccacatgaccatcgagcccaacaccttctgcccgtgcccacctggag  
 30 gagctgaacctgagctacaacagcatcacgacgtgctgcccctgcccagctccctcgtgctcctgtgctgagc  
 cgcaccaacatcctggtgctagacccccacccacctgcccctacatgcccgtgctgcatgcatggatggc  
 aactgctactacaagaacctctgcccagggcgctggaggtggtgcccgggtgcccctcctcgccctgggcaacctc  
 acacatctctcactcaagtacaacaatctcacggaggtgcccgcagcctgccccccagcctggagacctgctg  
 ttgtcctacaaccacattgtcaccctgacgcctgaggacctggccaatctgactgcccctgcccgtgcttgatgtg  
 35 ggggggaactgcccgcgctgtgacctgcccgcacccctgcagggagtgcacaaaggaccaccccaagctgcac  
 tctgacaccttcagccacctgagccgctcgaaggcctggtgttgaagacagttctctctacaacctggacacc  
 aggtggttcagggcctggacaggctccaagtgtgacctgagtgagaacttctctacgactgcatcaccaag  
 accagggccttcagggcctggccgactgcccagcctcaacctgtccttcaattaccacaagaaggtgctcctt  
 gcccacctgcacctggcaccctccttgggcaacctccggtccctgaaggagctggacatggtcctctcttcc  
 40 cgtcgtcagtgagaccagctccaacctctgggtccaactgcctatgctccagacctgcgctgcagatgaac  
 ttcatataaccagggccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacaaccgc  
 atcagcggagctgcaaggccagtgccattactagggaggtggatggtagggagagggctctggctgcttccagg  
 aacctcgtccacgtccactggacactctccgctcagaggacttcagccaaactgcaaggccttcagcttcacc  
 ttggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgcctctcacgcctcagagtgcctg  
 45 cgctgagccacaacagcatctccaggcggtcaatggctctcagtttgtgcccgtgaccagcctgcccgtgctg  
 gacctgtcccacaacagctggacctgtatcacggcgctcgttcacggagctgcccgcctggaagcactggac  
 ctgagctacaatagccagccctttaccatgcagggtgtggccacaacctcagcttcgtggccagctgcccgc  
 ctgcccactcctcagcctggcgacaaatgacatccatagccagtggtccagcagctctgtagcgcctcactgtgc  
 gcccgtggactttagcggcaacgatctgagccggatgtgggtgagggagacctctatctccgcttcttccaaggc  
 50 ctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgcccgtggacaacctc  
 cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
 cccagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc  
 cagctgcccaggtggacctcagtggaacagcatcggttctgtgaacctggcttcttggccctggccaagcag  
 ttagaagagctcaacctcagcgccaatgcctcagaacagtgaggccctcctgggttggctcgatgggtgggcaac  
 55 ctgaaagtccctagacgtgagcgccaacctctgcactgtgctgtggggcgacctcgtggggttctgctggag  
 gtacaggtgcccgtgctgggtgcccagccgctcaagtgtggcagtcggggcgagctccagggccatagcatc  
 tttgcgcaagacctgcccctctgctggatgagacctctcgtggaactgttttggc

- 13 -

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 5 HLHDSDFVHLSNLRVLNLKWCNPPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCCRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDITLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLRLEGLVLKDSLYKLEK  
 DWFRGLGRQLQVLDLSENFLDYITKTTIFNDLTQLRRLNLSFNHYHKKVSFAHLHLASSFGSLVSLKEDMHGIF  
 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 10 GLAPGPLDAVSSKDFMPSCNLFNFTLDLSRNNLVITIQEMFTRLRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 LSHNKLDLYHGRSFTLPLQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFFVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
 KILDVSANPLHCACGAAFVDPLLERQEAUVGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDLCFGLSILMVA  
 15 LGLAVPMLHHLCGWDLWYCFHLCLAHLPRLRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRGRRAL  
 RLCLEERDWWLPKGTFLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILRPAAYRSR  
 YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGIALTRDNRFYNNRNFRCGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 20 HLHDSDFVHLSNLRVLNLKWCNPPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCCRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDITLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLRLEGLVLKDSLYKLEK  
 DWFRGLGRQLQVLDLSENFLDYITKTTIFNDLTQLRRLNLSFNHYHKKVSFAHLHLASSFGSLVSLKEDMHGIF  
 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 25 GLAPGPLDAVSSKDFMPSCNLFNFTLDLSRNNLVITIQEMFTRLRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 LSHNKLDLYHGRSFTLPLQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFFVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
 KILDVSANPLHCACGAAFVDPLLERQEAUVGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDLCFGLSILMVA  
 30 LGLAVPMLHHLCGWDLWYCFHLCLAHLPRLRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRGRRAL  
 RLCLEERDWWLPKGTFLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILRPAAYRSR  
 YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGIALTRDNRFYNNRNFRCGPTTAE

## SEQ ID NO:11 (Bovine TLR9)

ggggaagtgggcgccaagcatccttccctgcagctgcctcccaacctgcccggccagacctctggagaagccgcat  
 tccctgtcatgggcccctactgtgccccgcacccctttctctcctggtgcaggcgccgactggcagcgccccc  
 tggcgaggcgccactgctgccttccctgcccgtgagctccagccccatggcaggtggactgcaactggctgt  
 35 tccctgaagtctgtgcccacttttgggctggagcccccgggccaatgtcaccagcctctccttaactccaacc  
 gcatccaccacttgcagactctgacttgcctccacctgtccaacctgcccgtcctcaacctcaagtggactgcc  
 cgccggcgccctcagccccatgcacttcccctgcggtatgacctcgagcccaacaccttccctggctgtgccca  
 cctggaggagctgaacctgagctacaacggcatcacgacctgacctgacctgacctgacctgacctgacctg  
 cgctgagccacaccagcatcctggtgctaggccccaccacttaccggcctgcacgacctgaccttctgtaca  
 40 tggacggcaactgctactacatgaaccttgcgcggcgccctggaggtggccccaggcgccctcctcgccctgg  
 gcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccggcgctgccccccagcctggaca  
 cctgctgctgtcctacaaccacattgtcacctggcaccgaggacctggccaacctgactgacctgacctg  
 ttgacctgggtgggaactgcccgcctgagacctgcccgaaccttgcaggagtgcccaagaacttcccca  
 agctgcaccttgacacctcagtcacctgagccgctcgaaggcctggtgtgaaggacagttctctatgactaca  
 45 taccgaagaccaccttccaacgacctgacctgacctgacctgacctgacctgacctgacctgacctgacctg  
 tgtccttgcgccacctgcacctagcgtcctccttggggagctggtgtcctggagaagctggacatgcacggca  
 tcttcttccgctcctcaccacacatcacgctccagtcgctgacctggctgccccagctccagagctgcacatgc  
 agctgaacttcatcaaccaggcccagctcagcatcttggggccttcccagacctgctcttctggacctgtcg  
 50 acaaccgcatcagcggagccgagcgcagccagcgcgcccctgggggaggtggacagcaggggtggaagtctggcgat  
 tgcccaggggctcgtccaggcccgtggacgacctgagctcaaaggacttcatgccaagctgcaacctcaact  
 tcaccttgacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgcctccagt  
 gcctgacctgagccacaacagcatctcgaggcggttaattggctcccagttcgtgacctgaccagcctgagag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcac  
 tggacctcagctacaaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggccagctgc  
 cctccctgcgctacctcagccttgccgcacaatggcatccacagccgctgtcacagaagctcagcagcgccctcgt  
 5 tgcgcgccttggaacttcagcggcaactccctgagccagatgtgggcccaggagacctctatctctgctttttca  
 aaggcttgaggaacctgggtccagctggacctgtccgagaacctatctgcacacctcctgcctcgtcacctggaca  
 acctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
 tcttgcgcccggtggaagcctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcgcctg  
 gcatccggctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttctgctccggcgga  
 10 ctccgctgatagagcttaacctcagcgcgaatgcctgaagacagtggatccctcctgggttcgggttcccttagcag  
 ggacctgaaaatcctagacgtgagcgccaaccgctccactgcgcctgcggggcgcccttctggtgacttctgc  
 tggagagacaggaggccgtgcccgggctgtccaggcgcgctcacatgtggcagtcggggccagctccagggccgca  
 gcatcttcacacaggacctgcgcctctgcctggatgagacctctccttggactgctttggcctctcactgctaa  
 tgggtggcgctgggctggcagtgcccatgctgcaccacctctgtggctgggacctctggtaactgcttccacctgt  
 15 gtctggcccatattgcccagcggcgggcgagcggggcgaggacacctgctctatgatgccgtcgtggctcttcg  
 acaaggtgcagagtgcagtggtgattgggtgtacaacgagctccgctgcagctggaggagcgcggggggcgcc  
 gggcgctccgctctgcctggaggagcagactggctccctggtaagacgctcttcgagaacctgtgggctcgg  
 tctacagcagcgcgaagacctgttctgtgctggaccacacggaccgggtcagcggcctcctgcgcgcagcttcc  
 tgcctggccagcgcgctgttggaggacgcgaaggacgctcgtagtgtgctggatcctgcgccccgcgcctatc  
 20 ggtcccgctacgtgcggctgcgcagcgcctctgcgcgcagagcgtcctcctctggccccaccagccagtggtcc  
 agggtagtttctgggccaacctgggcatagcctgaccagggacaacctgcactctctataaccggaaactctctgc  
 ggggccccacgacagccgaatagcacagagtgactgcccag

## SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgccccgcacccccctttctctcctgggtgcaggcgggcggaactggcagcggccctggccgag  
 25 ggcacctgcctgccttccctgcctgtgagctccagccccatgggtcaggtggactgcaactggctgttccctgaag  
 tctgtgcgcgacttttcggctggagccccccgggccaatgtcaccagcctctccttaattctccaaccgcatccac  
 cacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgcggcc  
 ggctcagccccatgcacttccctgcctgatgaccatcgagcccaacaccttccctggctgtgcccacctggag  
 30 gactgaacctgagctacaacggcatcacgacgtgcctgcctgcccagttccctcgtgtccctgtcgtgagc  
 cacaccagcatcctggtgctagggccccaccacttcaacggcctgcacgcccctgcgcttctgtacatggacggc  
 aactgctactacatgaacccctgcgcggggccctggagggtggccccaggcgccctcctcggcctggggaacctc  
 acgcacctgtcgtcaagtacaacaacctcacggagggtgccccgcgcctgccccccagcctggacacctgctg  
 ctgtcctacaaccacattgtcaccttggcaccggaggacctggccaacctgactgccttgcgcgtgcttgacgtg  
 35 ggtgggaactgcccgcgtgagaccatgcccgaacccctgcaggagtgcccaaagaacttcccaaagctgcac  
 cctgacaccttcagtcacctgagcgcctcgaaggcctgggtgttgaggacagttctctctacaaactagagaaa  
 gattgggtccgcggcctgggcaggctccaagtgtcgcacctgagtgagaacttccctctatgactacatcaccaag  
 accaccatcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc  
 40 gccacctgcacatcgctcctccttgggagcttggtgtccctggagaagctggacatgcacggcatctctcttc  
 cgctccctcaccaacatcacgctccagtcgtgacccgctgcccgaagctccagagctctgcatctgacgtgaac  
 ttcatcaaccaggcccagctcagcatctttggggccttcccgagcctgctcttctgaggacctgtcggaacaaccg  
 atcagcggagccgcgacgcagcggccgcccctgggggagggtggacagcagggtggaagtctggcgattgcccagg  
 45 ggctcgtccagggccgctggacgcccgtcagctcaaaggacttcatgccaagctgcaacctcaacttcaccttg  
 gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctccgcctccagtgcctgcgc  
 ctgagccacaacagcatctcgcaggcggttaatggctccagttcgtgcccgtgaccagcctgcgagtgctcgac  
 ctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcactggacctc  
 50 agctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggccagctgcctccctg  
 cgctacctcagccttgccgcacaatggcatccacagcgcgctgtcacagaagctcagcagcgcctcgttgccgccc  
 ctggacttcagcggcaactccctgagccagatgtgggcccaggaggagacctctatctctgctttttcaaaggcttg  
 aggaacctgggtccagctggacctgtccgagaacctatctgcacacctcctgcctcgtcacctggacaacctgccc  
 55 aagagcctgcccgcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccgtcctgcc  
 cggctggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcccctggcatccgg  
 ctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttctcgcgcgcgactcggtg  
 atagagcttaacctcagcgcgaatgcctgaagacagtggtatccctcctgggttcgggttcccttagcagggacctg  
 aaaatcctagacgtgagcgcgaacctcctcactgcgcctgcccggcgcccttctgtggacttccctgctggagaga  
 caggaggcgtgcccgggctgtccaggcgctcacatgtggcagctccgggcccagctccaggggccgacgcatcttc  
 acacaggacctgcgcctctgcctggatgagacctctccttggactgctttggc



- 15 -

## SEQ ID NO:13 (Equine TLR9)

5 MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLIL  
SRTNQLDPTSLTGLHALRFLYMDGNCYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
10 LLSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKSSLYQLN  
PRWFRGLGNLTVDLSENFLYDCITKTAFQGLAQLRRLNLSFNHYHKKVSFAHLTLAPSFGLSLLSQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLOCLRLSHNSISQAVNGSQFVPLTSLQV  
15 LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMSRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLLRLRNNYLAFNNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSPANPLHCACGAAFVDFLLQVQAAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
VALGLAMPMLHHLGCGWDLWYCFHLGLAWLPRRGWQRGADALSADAFVVDKAQSAVADWVYNELRVRLEERRGRR  
15 ALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQRLLEDKDVVVLVILSPDARR  
SRYVRLRQRLCRQSVLFWPHQPSGQRSFVAQLGMALTRDNRHFYNQNFRCRGPTMAE

## SEQ ID NO:14 (Equine TLR9)

20 MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLIL  
SRTNQLDPTSLTGLHALRFLYMDGNCYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKSSLYQLN  
PRWFRGLGNLTVDLSENFLYDCITKTAFQGLAQLRRLNLSFNHYHKKVSFAHLTLAPSFGLSLLSQELDMHGIF  
25 FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLOCLRLSHNSISQAVNGSQFVPLTSLQV  
LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMSRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLLRLRNNYLAFNNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
30 SLEVLDVSPANPLHCACGAAFVDFLLQVQAAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgctgaagggactgagcagcacaagcatcctcctctgcagctgctgcccagtg  
tgccagctggaccctctggatcatctccactccctgtcatgggccccttgccatggtgcccctgcagccctgtct  
ctcctggtgcaggcgccatgctggcctggtctctggcccaaggcaccctgcctccctcctgcccctgtgagctc  
35 cagcccccacggcctggtgaactgcaactggctgttcctgaagtccgtgccccacttctcagcagcagcaccgccg  
gacaatgtcaccagcctttccttgctctccaaccgcatccaccacctccagcactccgactttgcccactgtcc  
aacctgcagaaactcaacctcaaatggaactgcccggcagccggcctcagcccccagcacttcccctgccacatg  
accactgagcccaacactttcctggctgtacccaccctggaggagctgaacctgagctacaacggcactcagact  
gtgctgcccctgcccagctccctcgtgtccctgatcctgagcggcaccacacatcctgcagctagaccccaccagc  
40 ctccagggcctgcatgcccctgcgcttctatacatggatggcaactgctactacaagaacccctgccccggggcc  
ctggaggtggccccaggcgccctccttgccctgggcaacctcaccacactgtcactcaagtacaacaacctcaca  
acgggtgccccgcagcctgccccctagcctggagtacctgctgttgcctacaaccacattgtcaccctggcacct  
gaggacctggccaatctgactgcccctgcgtgtgctcgatgtgggtggaaactgcgcgcgctgtgacctgacgc  
aaccctgcgtggagtgcacacataaattccccccagctgcactccgacaccttcagccacctaagccgcctagaa  
45 ggccctcgtgttgaaggatagttctctctaccagctgaaccccagatgggtccctggtggcctgggcaacctcacagt  
ctcgacctgagtgaacttctctacgactgcacacaaaaccaaggcattccaggccctggccacactgcga  
agactcaactgtccttcaattaccataagaagggtgctccttcgccacactgacgctggcaccctcctcgggagc  
ctgctctccctgcaggaactggacatgcatggcatcttcttcgctcactcagccagaagacgctccagccactg  
gcccgcctgcccagctccagcgtctgtatctgcagatgaacttcatcaaccaggcccagctcggcacttcaag  
50 gaacttccctggtctgcgtacatagacctgtcagacaaccgcatcagtgagctgtggagccggtggccaccaca  
ggggaggtggatggtgggaagaaggctctggctgacatccaggacactcactccaggcccactggacacccccagc  
tctgaggacttcatgccaagctgcaagaacctcagcttcaccttggaacctgtcacggaacaacctggtaacagtc  
cagccagagatgtttgcccagctctcgcgcctccagtgccctgagccacaacagcatctcgcaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtccataacaaactggacctgtaccat  
gggcgctcgtttacggagctgcccgcactggaggccctggacctcagctacaacagccagccctcagcatgcgg  
ggtgtggggccacaacctcagctttgtggccagctgccaccctgcgctacctcagcctggcacacaatggcatc  
cacagccgtgtgtccagcagctctgcagcacctcgtgtgggcccctggacttcagcggcaattccctgagccag  
5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaataccggctagacctgtccag  
aatcgtctgcataccctcctgccatgcaccctgggcaacctccccaaagagcttgcagctgctgcgtctccgtaac  
aattacctggccttcttcaattggagcagcctgacctcctgccaaacctggaaacctggacctggctggaaac  
cagctgaaggctctgagcaatggcagcctgcttctggcaccagctccagaggctggacgtcagcaggaacagc  
atcatcttcgtgggtccctggcttcttctgtctgtggccacgaggctgcgagagctcaacctcagtgccaacgccc  
10 aggcagagaggagccctcctgggttgggttctcctagcaggctcccttgagtcctagatgtgagcgccaaacctctg  
cactgcgcctgtggggcagcccttctgtggaactcctgctgcaggttcaggctgcgcgtgctgtctgccagccgc  
gtcaagtgtggcagctccgggcccagctccaggggccgcagcatcttcgcacaagacctgcgcctctgctggacaag  
tccctctcctgggactgttttgggtctctcattgtgtgtgtggccctgggctggccatgctctgttgcaccac  
ctctgcggctgggacctctggtactgcttccacctgggcccctggcctggctgccccggcgggggtggcagcggggc  
15 gcgatgcccctgagctatgatgccttctgtgtcttcgcacaaggccacagagcgcagtgccgactgggtgtacaat  
gaactgcgggtgcccgttagaggagcgcgcgtggggcgcggggcgcctccgctgtgtctggaggagcgtgactggcta  
cctggcaagacgtgttcgaaaacctgtgggcccctcagctctacagcagccgcaagatgctgttctgtgtggccac  
acgggaccaggtcagtgccctcttgcgtgccagcttccctgctggcccagcagcgtctgctggaggaccgcaaggac  
gttctgggtgctggttaactcctgagccctgagcccccgcgcgttcccgctacgtgcccgtgcgcagcgcctctgcgc  
20 cagagtgtcctctctgccccaccagcctagtggccagcgcagcttctggggccagctaggcatggccctgacc  
agggacaaccgcccacttctataaccagaacttctgccccggggccgcagctggctgagtagcacagagtgcagcc  
tggcatgtacaacccccagccctgaccttgcctctctgcctatgatgcccagctctgcctcactctgtgacgccc  
tgcctctgcctccgcccacctcaccctggcctacagcaggcactcaataaatgccactggcaggccaaacagcca  
aaaaaaaaaaaaaaaa

25

## SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatggtgcccctgcagccctgtctctcctggtgcaggcggccatgctggccgtggctctggcc  
caaggcaccctgctcccttccctgcccctgtgagctccagccccacggcctgggtgaactgcaactggctgttccctg  
aagtcggtgccccacttctcagcagcagcaccgggacaatgtcaccagccttctcctgtctctcaaccgcac  
30 caccacctccacgactccgacttggcccaactgttccaaacctgcagaaactcaacctcaaatggaactgcccccca  
gcccgcctcagcccctgcaacttcccctgcccactgaccatcgagcccaacttctcctgggtgtaccaccctg  
gaggagctgaacctgagctacaacggcatcacgactgtgcccctgcccagctccctcgtgtccctgatccctg  
agccgcaccaacatcctgcagctagaccccaccagcctcacgggcccctgcatgcccctgcgcttctctatcatggat  
ggcaactgctactacaagaacccctgcccggggcccctggagggtggcccaggcgcctcccttggccctgggcaac  
35 ctcccccacctgtcactcaagtacaacaacctcacaacgggtgcccgcagcctgccccttagcctggagtagcctg  
ctgttgtcctacaaccacattgtcaccctggcacctgaggacctggccaatctgactgcccctgcgtgtgtctgat  
gtgggtggaaactgcccgcgctgtgaccatgcagcgaacccctgctggagtggccacataaattccccagctg  
cactccgacaccttcagccacctaaagccgctagaaggcctcgtgtgaaggatagttctctaccagctgaac  
ccagatgggttccgtggccctgggcaacctcacagctgcagctgagtagaacttctctacgactgcatcacc  
40 aaaaccaaggcattccagggcccctggcccagctgcgaagactcaacttgtccttcaattaccataagaagggtgtcc  
ttcgccacctgacgctggcaccctccttcgggagcctgctctcctgcaggaaactggacatgcatggcatcttc  
ttccgctcactcagccagaagacgctccagccactggcccgcctgcccctgctccagcgtctgtatctgcagatg  
aacttcatcaaccaggcccagctcggcatcttcaaggacttccctggctctgcgctacatagacctgtcagacaac  
cgcatcagtgaggctgtggagccgggtggccaccacaggggagggtggatgggtgggaagaaggctctggctgacatcc  
45 agggacctcactccaggcccactggacacccccagctctgaggacttcatgccaaagctgcaagaacctcagcttc  
accttggacctgtcacggaacaacctggtaacagtcacagccagagatgtttgcccagctctcgcgcctccagtg  
ctgcgcctgagccacaacagcatctcgaggcgggtcaatggctcacagttcgtgcccactgaccagcctgcagggtg  
ctggacctgtccataacaaactggacctgtaccatgggcgctcgtttacggagctgcccgcgactggaggccctg  
gacctcagctacaacagccagcccttcagcatgggggtgtggggccacaacctcagcttctgtggcccagctgccc  
50 acctgcgctacctcagcctggcacacaatggcatccacagccgtgtgtcccagcagctctgcagcacctcgtctg  
tggggcccctggacttcagcggcaattccctgagccagatgtgggctgagggagacctctatctccgcttcttccaa  
ggcctgagaagcctaataccggctagacctgtcccagaatcgtctgcataccctcctgccatgcaacctgggcaac  
ctccccaaagacttgcagctgctgcgtctccgtaacaattacctggccttcttcaattggagcagcctgacctc  
ctgcccacacctggaaacctggacctggctggaaaccagctgaaggctctgagcaatggcagcctgcttctggc  
55 accagctccagaggctggacgtcagcaggaacagcatcttctggtccctggccttcttctgctggccacg  
aggctgcgagagctcaacctcagtgccaaaggccctcaggacagaggagccctcctgggttgggttctctagcaggc  
tcccttgagtcctagatgtgagcgccaaacctctgcaactgcgcctgtggggcagccttctgtggacttctctgctg

- 17 -

cagggttcaggctgccgtgcctggtctgccagccgcgtcaagtgtggcagtcggggccagctccagggccgcagc  
atcttcgcacaagacctgcgcctctgcctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVNCNWFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAWEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDS SLYKLEK  
10 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTQLRRLNLSFNHKKVSAHLQLAPSFGGLVSLKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLQLNFINQAELSIFGAPSSLFVLDSDNRI SGAARPVAALGEVDSGVEVVRWPR  
GLAPGPLAAVSAKDFMPSCNLFNLTDLRNNLVITIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNL SFAQLPSLRYL SLAHNGIHSRVSQKLSSASLRA  
LDFSGNLSLQMWAEGLDYLCFFKGLRNVLQDL SKNHLHTLLPRHLNLPKSLRQLRLRDNNAFFNWSLTVLP  
15 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLANRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGA AFVDFLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSLDCFGFSLLMVA  
LGLAVPMLHHL CGWDLWYCPHLCLAHLP RRRRQRGEDTLLYDAFVVFDKAQSAVADWVYNELRVQLEERRGRAL  
RLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILRPAAYRSR  
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGMALTRDNRFYNNRNFRCRGPITAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVNCNWFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAWEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDS SLYKLEK  
25 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTQLRRLNLSFNHKKVSAHLQLAPSFGGLVSLKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLQLNFINQAELSIFGAPSSLFVLDSDNRI SGAARPVAALGEVDSGVEVVRWPR  
GLAPGPLAAVSAKDFMPSCNLFNLTDLRNNLVITIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNL SFAQLPSLRYL SLAHNGIHSRVSQKLSSASLRA  
LDFSGNLSLQMWAEGLDYLCFFKGLRNVLQDL SKNHLHTLLPRHLNLPKSLRQLRLRDNNAFFNWSLTVLP  
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLANRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGA AFVDFLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSLDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgagcgccaagcatccttcctgcagctgccgccaacttgcccgcagaccctctggaga  
35 agccgcattccctgccatgggcccctactgtgcccgccaccccttctctcctggtgcaggcgccggcgctggc  
agcagccctggcccagggcaccctgcctgccttcctgcctgtgagctccagccccggggaaggtgaactgcaa  
ctggctgttccctgaagtctgtgcccgcgttttcggccggagccccccgggccaatgtcaccagcctctcctta  
ctccaaccgcatccacccttgccagactctgacttcgctccacctgtccaacctgcgggtcctcaacctcaagt  
40 gaactgcccgccggccggcctcagccccatgcacttccctgcgcagatgaccatcgagcccaacaccttccctggc  
tgtgccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcctgccagttctctcgt  
atccctgtcgctgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcctgcgctt  
tctgtacatggacggcaactgctactataagaacccctgccagcaggccgtggaggtggcccaggcgccctcct  
tggcctgggcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgcccgcgcgctgccccccag  
cctggacaccctgctgctgtcctacaaccacatcatcaccctggcaccgcaggacctggccaatctgactgcct  
45 gctgtgcttgatgtggcggggaactgccgcgctgcgaccacgcccgaacccctgcaggagtgcccaaagaa  
cttccccagctgcaccctgacaccttcagccactgcagccgctcgaaggcctggtgtgaaggacagtctct  
ctacaaactagagaaagactgggttcgcggcctggcgagctccaagtgcctcgacctgagtgagtaactctct  
tgactacatcaccaagaccacatcttcaggaaacctgaccagctgcgcagactcaacctgtccttcaattacca  
caagaaggtgtccttcgccacctgcaactggcaccctcctttgggggcctggtgtcctggagaagctggacat  
50 gcacggcatcttcttcgctcctcaccacaccacgctccggccgctgaccagctgcccagctccagagctct  
gagctctgcagctgaactcatcaaccaggccgagctcagcatctttggggccttcccagcctgctcttcgtgga  
cctgtcgggacaaccgcatcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcggggtggaagt  
ctggcggtggcccaggggcctcgtccaggcccgctggccgcccgtcagcgcaaaggacttcagccaagctgcaa

- 18 -

cctcaacttcaccttgacactgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccg  
 cctccagtgcctgcctgagccacaacagcatctcgaggcggttaatggctcgagttcgtgcgctgacccg  
 cctgcgagtgcctgacactgtcctacaacaagctggacactgtaccatggcgctcggtcacggagctgcgcgagct  
 ggaggcactggacactcagctacaacagccagcccttcagcatgcagggcgctgggccacaacctcagcttcgtggc  
 5 ccagctgcctgcctgcctacctcagccttgccgacaaacggcatccacagccgctgtcacagaagctcagcag  
 cgctcgtgcgcgcctggacttcagcggcaactccctgagccagatgtgggcgagggagacctctatctctg  
 ctcttcaaaggcttgaggaaacctggctccagctggacactgtccaagaacctgcacacctcctgcctcgtca  
 cctggataacctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcag  
 cctgactgttctgccccagctggaagcctggatctggcggaacacagctgaaggccctgagcaacggcagcct  
 10 gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggtcttgtagccctggcttcttctgt  
 ccttgccaacggctgaaagagcttaacctcagcgccaacgcctgaagacagtggatccctctctgttctggctg  
 cttaacagagacctgaatatcctagacgtgagcgccaacccgctccactgtgcctgcggggcggtcttggtgga  
 ctctctgctggagatgcagggcggtgcctgggtgtccaggcgctcacgtgtggcagtcggggcagctcca  
 ggccgcgagcatcttcgcacaggacctgcgcctctgcctggatgagacctctccttggtactgcttggcttctc  
 15 gctgctaattgggtggcgtgggcctggcggtgccatgctgcaccacctctgtggctgggacctgtggtactgctt  
 ccacctgtgtctggccatttgccccgacggcgggcgagcgggcgaggacacctgctctacgatgccttcgt  
 ggtctctcgacaaggcgagagtgagtgagtgccgactgggtgtacaacgagctccgcgtgcagctggaggagcgccg  
 cgggcgccggcgctccgcctctgcctggagagcgagactggctccctggcaagacgctcttcgagaacctgtg  
 ggctcgggtctacagcagccgtaagaccatgttctgctggaccacacgggacgggtcagtggtcctctgcgcgc  
 20 cagcttctctgctggccagcagcgctgttgaggaccgcaaggatgtcgtgggtgctgggtgatcctgcgccccgc  
 cgctaccgggtccgcctacgtgcggctgcgcagcgctctgcgcagagcgctcctctctggccccaccagcc  
 cagtgggcagggtagcttctgggccaacctggcgtggcctgaccagggaacaacggcactctataaccggaa  
 ctctgcggggggccccacgacagccgaatagcacagagtgcctgcag

25 SEQ ID NO:20 (Ovine TLR9)

atgggccccactactgtgccccgcaccccccttctctcctgggtgcaggcgggcggtggcagcagccctggccag  
 ggcacctgctgctgcttctgcctgtgagctccagccccgggtgaaggtagaactgcaactggtgttctgaag  
 tctgtgcgcgcttcttgcggcgagcccccgggccaatgtcaccagcctctccttaactctccaacgcgcatccac  
 30 cacttgcaagactctgacttctcctcactgtccaacctgcgggtcctcaacctcaagtggaaactgcccgcgggc  
 ggctcagccccatgcacttccccctgcgcgtgacatcgagcccaacaccttctggtgtgccccacctggag  
 gagctgaacctgagctacaatggcatcacgacctgcctgcctgcccagttctctcgtatccctgtcgtgagc  
 cgcaccagcatcctggtgctaggccccaccacttcacggcctgcacgcctgcttctgtacatggacggc  
 aactgctactataagaacctgcccagcaggccgtggaggtggccccaggcgccctccttggtcgggcaacctc  
 35 acgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggacacctgctg  
 ctgctctacaaccacatcatcaccctggcaccggaggacctggccaatctgactgcctgctgtgcttgatgtg  
 ggcggaactgcccgcgtgcgaccacgcccgaacctctgcaggagtgcccaagaacttccccagctgcac  
 cctgacaccttcagccaacctgagccgctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa  
 gactgggtccggtcctgggcaggctccaagtgtcagacctgagtgagaacttctctatgactacatcaccaag  
 40 accaccatcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaaggtgtccttc  
 gccacctgcaactggcaccctccttgggggctggtgtccttggaagaagctggacatgcacggcatcttcttc  
 cgctccctcaccaacaccacgctccggcgctgacccagctgcccagctccagagtctgagctgcagctgaac  
 ttcataaccaggccgagctcagcatcttggggccttcccagcctgctcttctggtgacctgtcggaacaacgc  
 atcagcggagctgcgaggccggtggccgcctcggggaggtggacagcggggtggaagtctggcggtggccagg  
 45 ggctcgtccaggcccgctggcgccgtcagcgcaaggacttcagccaagctgcaacctcaacttcaccttg  
 gacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctccgcctccagtgctgcgc  
 ctgagccacaacagcatctcgaggcggttaatggctcgagttcgtgcccgtgaccgctgagtgctgcgac  
 ctgtcctacaacaagctggacctgtaccatggcgctcgttcacggagctgcgcgagctggaggcactggacctc  
 agctacaacagccagccctcagcatgcagggcggtgggccacaacctcagcttctggtggccagctgcctcctg  
 50 cgctacctcagccttgccgacaaacggcatccacagccgctgtcacagaagctcagcagcgcctcgtgcgcgc  
 ctggacttcagcggcaactccctgagccagatgtgggcgagggagacctctatctctgcttcttcaaaggcttg  
 aggaacctggtccagctggacctgtccaagaacctgcacacctcctgcctcgtcactggataacctgccc  
 aagagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgactgttctgcc  
 cagctgggaagcctggatctggcggaacacagctgaaggccctgagcaacggcagcctgcccacctggcaccgg  
 55 ctccagaagctggagctgagcagcaacagcatcggtcttgtagccctggcttcttctgcttcccaacggctg  
 aaagagcttaacctcagcgccaacgcctggaagacagtgatccctctggttctggtcgttcaacagagacctg  
 aatatcctagacgtgagcgccaacccgctccactgtgcctgcggggcggtcttctggtgacttctctgctggagatg

- 19 -

caggcgcccgctgcctgggctgtccaggcgcggtcacgtgtggcagtcggggccagctccaggggccgcagcatcttc  
gcacaggacctgcgcctctgctggatgagaccctctccttggaactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPALFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVLSLSL  
SRTNILLVDPATLAGLYALRFLFDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFYDCITKTKAFYGLARLRLNLSFNYHKKVSFAHLHLASSFGSLSLQELDIHGIF  
 FRSLSKTTQLSLAHLPLQLRLHLQNLNFISSQAQLSIFGAFPGRLRYVDLSDNRISGAAEPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMSMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGLYLRFFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL  
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRGRRRRGVDALAYDAFVVFDAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWWPGKTLFENLWASVYSSRKTLFVLARTDRVSGLLRASFLLAQQRLLDRKDVVVLVILCPDA  
 HRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNRHFYNQNFRCGPPTTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAAGTLPALFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDLNLNSYNSITTVPALPSSSLVLSLSL  
 SRTNIVLDPATLAGLYALRFLFLDGNCCYKNPCQALQVAPGALLGLGNLTHLSLKYNNTLVVPRGLPPSLEYL  
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFYDCITKTKAFYGLARLRLNLSFNYHKKVSFAHLHLASSFGSLSLQELDIHGIF  
 FRSLSKTTQLSLAHLPLQLRLHLQNLNFISSQAQLSIFGAFPGRLRYVDLSDNRISGAAEPAAATGEVEADCGERVWP  
 20 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMSMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGLYLRFFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFS  
 25

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgccagcctgccagccagaccctctggagaag  
 ccccgctcctgtcatgggcccctgccgtggcgccctgcacccctgtctctcctgggtgcaggtgcgcgcgcta  
 gccctggccctggcccaggccacccctgcctgccttctgcctgtgagctccagccccatggcctgggaactgc  
 30 aactggtgttctcctcaagtcctgccccgcttctcggcagctgcaccccgcggtaacgtcaccagcctttccttg  
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcggcgtctcaatctcaag  
 tggaaactgcccgcggccagcctcagccccatgcactttcctgtcacatgaccattgagcccaacaccttctgt  
 gctgtgccccaccctagaggacctgaatctgagctataacagcatcacgactgtgccgccttgcaggttgcctt  
 gtgtcctgtccttgagcgcgacccaacatcctgggtgctggaccctgccacccctggcaggcctttatgcctgtcgc  
 35 ttctgttctcctggatggcaactgctactacaagaacccctgccagcaggccctgcaggtggccccaggtgcctc  
 ctgggcccctgggcaacctcacacacctgtcactcaagtaacaacctcacctgggtgccgcggggcctgcccccc  
 agcctggagtagctgtctgttgcctacaaccacatcatcacctggcacctgaggacctggccaatctgactgcc  
 ctgctgtcctcctgatgtgggtgggaactgtcgccgctgtgaccatgcccgtaacccctgcaggagtgccccag  
 ggcttccccagctgcacccccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctct  
 40 ctctacagcctggaccccagggtggttccatggcctgggcaacctcatggtgttgacctgagtgagaacttctgt  
 tatgactgcatacaccaaaacaaagccttctacggcctggccggctgcccagactcaacctgtccttcaattat  
 cataagaagggtgtcctttgcccacctgcactgtggcactcctccttcgggagcctactgtccttgaggagctggac  
 atacatggcatcttcttcgctcgtcagcaagaccacgtccagtcgctggcccacctgcccactgcaccagct  
 ctgcatctgcagttgaactttatcagccaggcccagctcagcatcttcggcgcccttccctggactgcgggtacgtg  
 45 gacttgtcagacaaccgcatcagtgagctgcagagcccgcggtgccacaggggaggttagaggcagactgtggg  
 gagagagtctggccacagtcctcggtgctctggggccactgggcaaccccggtcagaggccttcatgccg  
 agctgcaggacctcaacttcaccttgacctgtctcggaacaacctagtactgttcagccggagatgtttgtc  
 cggctggcgccctccagtgccctgggctgagccacaacagcatctcgcaggcgggtcaatggctcgcagttcgtg  
 cctctgagcaacctgcgggtgttgacctgtccataacaagctggacctgtaccacgggcgctcgttcacggag  
 50 ctgcccggttgaggccttgacctcagctacaacagcagcccttcagcatgcggggcgtgggcccacaactc  
 agctttgtggcacagctgccagcctgcgtacctcagcctggcgacacaatggcatccacagccgctgtccag  
 cagctccgcagcgcctcgtccgggcccctggacttcagtggaataacctgagccagatgtggggcggaggagac  
 ctctatctccgcttcttccaaggcctgagaagcctgggttcagctggacctgtcccagaatcgctgcataacctc  
 ctgccacgcaacctggacaacctccccaaagagcctgcggctcctgcggctccgtgacaattacctggcttcttc  
 55 aactggagcagcctggccctcctaccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcacacggcagccagctccagaggttgacctcagcggcaacagcatcggttcgtgggtcccc  
 agcttttttgccttgccgtgaggttcgagagctcaacctcagcggcgaacggccctcaagacggtggagccctcc  
 tgggttgggttccttgccgggtgacctgaaagtccatagacgtgaccgccaaccccttgcatcgcttgccggcgca  
 accttcgtggacttccttgctggaggtgcaggtgcgggtgccccggcctgcctagccgtgtcaagtgcggcagcccg  
 5 ggccagctccagggccgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgctctcctgggtctgt  
 ttcagcctctcgctgctggctgtggccctgagcctggctgtgcccctgctgcaccagctctgtggtcgggacctc  
 tgggtactgcttcacctgtgcctggcctggctgccccggcggggggcgggcggggtgtggatgcctggcctat  
 gacgccttcgtgggtcttcgacaaggcgagagctcggtggcggactgggtgtacaatgagctgcgggtacagcta  
 gaggagcggcgtgggcggcggcgctacgcctgtgtctggaggaaacgtgactgggtaccggcgaacccctcttc  
 10 gagaacctctgggcctcagtttacagcagccgcaagacgctgttttgctgctggcccgacggacagagtcagcggc  
 ctctcgctgcccagcttcctgctggcccaacagcgctgctggaggaccgcaaggacgtcgtggtcgtgggtgatc  
 ctgtgccccgacgcccaccgctcccgctatgtgcggctgcggcagcgcctctgcggccagagtgctcctcctctgg  
 cccaccagcccagtgccagcgcagcttcctggccagctgggcacggcctgaccagggaacacggccacttc  
 tacaaccagaacttcctgcgggggcccacgacagcctgataggcagacagcccagcacttcgcgcccctacacc  
 15 ctgcctgtctgtctgggatgcccagcctgctgctctacaccgcccgtctgtctccctacaccagccctggca  
 taaagcgacggctcaataaatgctgctggttagac

## SEQ ID NO:24 (Canine TLR9)

atgggccccctgcctggcggccctgcacccctgtctctcctgggtgcaggtgcgcgctagccctggccctggcc  
 20 cagggcaccctgcctgccttcctgcctgtgagctccagccccatggcctgggtgaactgcaactggctgttcctc  
 aagtcgctgccccgcttcctcggcagctgcaccccgcggtaacgtcaccagcctttccttgactccaacggcatc  
 caccacotccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaagtggaaactgcggccc  
 gccagcctcagccccatgcactttcctgtcactgaccattgagcccaacaccttcctggctgcccacccta  
 gaggacctgaatctgagctataacagcatcacgactgtgcccgcctgccagttcgcttgctcctgtccctg  
 25 agccgcaccaacatcctgggtgctggacctgcccacctggcaggcctttatgcctgcgcttcctgttcctggat  
 ggcaactgctactacaagaacccctgccagcagccctgcaggtggcccaggtgcctcctgggctgggcaac  
 ctcacacacctgtcactcaagtacaacaacctcacctgggtgcgcggggcctgccccccagcctggagtagcctg  
 ctcttgctcctacaaccacatcatcacctggcacctgaggacctggccaatctgactgcctgcgtgtcctcgat  
 gtgggtgggaactgtcgccgctgtgacctgcccgtaacccctgcagggagtgccccaagggttccccccagctg  
 30 caccocaacaccttcggccacctgagccacctgaaggcctgggtgttgaggagacagctctctctacagcctggac  
 cccaggtgggtccatggcctgggcaacctcatggtgctggacctgagtgagaacttcctgtatgactgcacacc  
 aaaaccaaagccttctacggcctggccgggtgcgcagactcaacctgtccttcaattatcataagaagggtgtcc  
 tttgcccacctgcatctggcatcctccttcgggagcctactgtcctgcaggagctggacatacatggcatcttc  
 ttccgctcgctcagcaagaccaogctccagtcgctggcccacctgcccagctcctcagcgtctgcatctgcagttg  
 35 aactttatcagccaggccagctcagcatcttcgggcgcttcctggactgcggtagctggacttgtagacaac  
 cgcacagtgaggctgcagagcccgcggtgccacaggggaggttagaggcagactgtggggagagagctctggcca  
 cagtcocgggacctgtctctgggcccactgggcaaccccggtcagaggccttcagtgccagctgcaggaccctc  
 aacttcacctggacctgtctcgggaacaacctcagtagctgttcagccggagatgtttgtcggctggcgcgctc  
 cagtgccctgggctgagccacaacagcatctcgcaggcggtcaatggctcgcagttcgtgctctgagcaacctg  
 40 cgggtgctggacctgtcccataacaagctggacctgtaccacgggcgctcgttcacggagctgcccgggctggag  
 gccttgacctcagctacaacagccagcccttcagcatgccccggcgctgggcccacaatctcagctttgtggcacag  
 ctgcccagccctgcgctacctcagcctggcgcaaatggcatccacagccgctgtcccagcagctccgcagcgcc  
 tcgctcggggccctggacttcagtggaataacctgagccagatgtgggcccaggagacctctatctccgcttc  
 ttccaaggcctgagaagcctggttcagctggacctgtcccagaatcgctgcataacctcctgccacgcaacctg  
 45 gacaacctccccaagagcctgcggctcctgcggctccttgacaattacctggctttcttcaactggagcagcctg  
 gccctcctaccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc  
 aacggcaccagctcagaggtggacctcagcgggcaacagcatcggttcgtgggtccccagcttttttgcctg  
 gccgtgaggcttcgagagctcaacctcagcggccaacgcctcagaacgggtggagccctcctgggttgggttcctg  
 50 gcgggtgcccgtgaaagtccatagacgtgaccgccaaccccttgcatcgcttgccggcgcaaccttcgtggacttc  
 ttgctggaggtgcaggtgcgggtgccccggcctgcctagccgtgtcaagtgcggcagcccgggccagctccagggc  
 cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgctctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

55 MGPCHGALHPLSLLVQAAALAVALAQGTLPALPCELQRHGLVNCDWLFKSVPHFSAAAPRGNVTLSLSLYSNRI  
 HHLHDSDFVHLSSLRLNLKWNCPASLSPMHFCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSSLVSLSL

5  
10

SRTNILVLDPANLAGHLSRLFLFDGNCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNLTAVPRGLPPSLEYL  
LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSHLNHLBGLVLKDSSELYNLN  
PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRLNLNLSFNHYHKKVSFAHLHLAPSFSGSLSLQQLDMHGIF  
GRSLSETTLRSLVHLPMQLQSLHLQMNFIQAQLSIFGAFGLRYVLDLSDNRISGAMELAAETAQGEVDGQGERVRLPS  
FDLALGPPPTSGSEGFMPGCKTLNFTLDSRNKLTVIQPEMFARLSRLQCLLLSRNSISQAVNGSGFMPLTSVLQ  
LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCASAL  
RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRHLHTLPTLTDNLPKSLRLLRLRDNYLAFNWSLVL  
LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLNSANALKTVEPSWFGSLAG  
TLKVLDVTGNPLHCACGAAFVDFLLEVQAAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWD CFGLSLLT  
VALGLAVPMLHHLCGDWLYCFHLCCLAWLPRRGRNGADALPYDAFVFDKAQSAVADWVYNELRVRLLEERGRR  
ALRLCLEERDMLPGKTLFENLWASVYSSRKMLFVLAHTDRVGLLRRASFLLAQRRLLDRKDQVVVLVILRPDAHR  
SRVYRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCRGPPTAE

15 MGPCHGALHPLSLLVQAAALAVALAQGTLPALFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLSYSNRI  
HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVLSLSL  
SRTNILLVDPANLAGLHSLRFLFLDGNICYYNKPCPQALQVAPGALLGLGNLTHLSLKYNNLTAVPRGLPPSLEYL  
LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDFTFSLNHLEGLVLKDSLSLYNLN  
PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSEFNHYHKKVSFAHLHLAPSFSGLSLSLQQLDMHGIF  
20 FRSLSETTLRLSLVHLPMQLSHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
GDLALGPPGTPSSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
LDLSHNKLDLYHRFSFTLEPLREALDLSYNSQPFSMQGVGHNLTSFVAQLPALRYLSLAHNDIHSRVSQQLCSASI  
RALDFSGNALSRMWAEGDLYLHFGRGLRSLVRLDLSQNRLLSFLVTLNPTLDNLPKSLRLLRLRLDNYLAFFNWSSSLVL  
PLREALDLAGNQLKALSNGLSPNGTQLQRDLSSNISFVASSFFALATRLRELNSANALKTVPEPSWFGSLAG  
25 TLKVLDVTGNPLHCACGAADFVDFLLELVQAAVPGPLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

agggtctgcgagctccaggcattctctctgcatcgctgccagctctgccatccagaccctctggagaagcccc  
cactccctgtcatgggcccctgccatggcgccctgcacccccctgtctctctctgggtgcaggctgcgcgcctggccg  
30 tggccctggcccagggcacctcgctgcctttctgccctgtgagctccagcgccacggcctggatgaattgcgact  
ggctgttccctcaagtccgtgcccacttctcggcggcagcgccccgtggtaacgtcaccagcctttccctgtact  
ccaaccgcattccaccacctccacgactccgactttgtccacctgtccagcctgcccgtctcaacctcaaatgga  
actgcccaccgcgcagctcagcccatgcacttccccctgtcacatgacattgagccccacacttccctggccg  
tggccacctggaggagctgaacctgagctacaacagcatcagacagatcccgcctggcccagttccctcgctg  
35 cctgtccttgagccgtaccaacatcctgggtgctggacctgccaacctcgcagggctgcaactccctgcgctttc  
tgttccctggatggcaactgctactacaagaacccctgcccgaggccctgcagggtggccccgggcgcctccttg  
gctgggcaaccttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccgcggcctgccccccagcc  
tggagtacctgctattgtcctacaaccacatcatcacctggcacctgaggacctggccaacctgaccgcccctgc  
gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgcgccgaacctctgtatggagtgcgcccaaggctt  
40 tccgcacctgcacctgacaccttcagccacctgaaccactcgaagctgggtgtgtgaaggacagctcctctct  
acaacctgaaccccagatgggtccatgcgcctggggcaacctcatgggtggactggacactgagtgaagaacttctatatg  
actgcatcaccaaaaccacagccttccagggcctggcccagctgcgcgagactcaacttgtctttcaattaccaca  
agaagggtgcctttgcccacctgcatctggcgccctccttcgggagcctgctctccttgacgagctggacatgc  
atggcatcttcttccgctcgctcagcgagaccacgctccggtcgctgggtccacctgcccatgctccagagctcgc  
45 acctgcagatgaacttcatcaatcaggcccgactcagcatcttcggggccttccctggcctgcgatacgtggacc  
tgtcagacacccgcataagtggagccatggagctggcggtgccacgggggagggtggatgggtggggagagagctcc  
ggctgccatctggggacactagctctggggccaccgggacccctagctccgagggctctatgcaggctgcaaga  
ccctcaacttcaccttggacctgtcaggaacaacctagtacaatccagcgagagatgtttgcgcgctctcgc  
gcctccagtgctgctcctgagccgcaacagcatctcgcaggcagtcacaggctcacaatttatgcgcgtgacca  
50 gcctgcagggtgctggacctgtccataacaagctggacctgtaccatgggcgctctttcacggagctgcgcgcggc  
tggaggccctggacctcagctacaacagccagcccttcagcatgcaggggcgtgggtcacaacctcagctttgtgg  
cacagctgcgcggccctgcgctatctcagcctggcgcaaacgacatccacagccgtgtgtcccagcagctctgca  
gcgctctcgctgcccggccttggacttcagcgggcaatgccttgagccgagatgtggggccgaggagacctgtatctc  
acttcttcgagggcctgaggagcctggctccggttggactgtcccagaatcgctcgcgcatacctcttggcacgca  
55 cccctggacaacctccccaaagagcttcgcgctgctgcgctctcctgcacaattatctggcttcttcaactggagc



- 23 -

gcttggtcctcctccccaggtggaagcctggacctggcgggaaaccagctgaaggccctgagcaacggcagct  
 tgcctaataaggaaccagctccagaggttgacctcagcagcaacagtatcagcttcgtggcctccagcttttttg  
 ctctggccaccaggtcgcgagagctcaacctcagtgccaacgcctcaagacgggtggagccctcctgggttcggtt  
 ctctagcgggacacctgaaagtccatagatgtgactggcaacccctgcaactgcgcctgtggggcgccctcgtgg  
 5 acttccttgctggaggtgcaggtgcagtgcccgccctgccaggccacgtcaagtgtggcagtcacaggtcagctcc  
 agggcgcagcatctttgcgaggtatctgcgcctctgcctggatgaggccctctcctgggactgttttgccctct  
 cgtgctgaccgtggccctgggctggcctgcccctgctgaccacctctgtggctgggacctctggtactgct  
 tccacctgtgctggcctggctgccccggcgggggcgggcgggcgggcgggatgacctgacctacgatgcctttg  
 tggcttcgacaaggcacagagcgcggtggcgactgggtgtacaacgagctgagggtacggctagaggagcgcc  
 10 gtggacggcgagcgtccgcctgtgcttgaggaaactgactggctaccgggtaaaacgctctttgagaacctgt  
 gggcctcagtttacagcagcgcaagatgctgtttgtgctggccacacagacagggtcagcgccctcttgccg  
 ccagctttctgctggccagcagcgccctgctggaggaccgcaaggacgttgtgtgctgggtgacctgccccg  
 acgcccaccgctcccgctatgtgcggtgcccagcgccctctgcccagagcgctcctccttgccccaccagc  
 ccagtgccagcgagctcttgggcccagctgggcacggccctgaccagggaaccagcacttctataaccaga  
 15 actctgcccggggcccccagcggcagagtaccgcccagcaccacaagcctcctacaccttgctgtctgctg  
 ggatgcccggg

## SEQ ID NO:28 (Feline TLR9)

atggggccctgccaatggcgccctgcacccctgtctctcctgggtgcaggtgcgcgcctggcctggccctggcc  
 20 cagggcaccctgctgctttctgcccctgtgagctccagcgccacggcctgggtgaattgcgactggctgttcctc  
 aagtcggtgcccacttctcgggcgagcgcccggtggtaacgtcaccagcctttccctgtactccaaccgcac  
 caccacctccacgactccgactttgtccacctgtccagcctgcccgtctcaacctcaaatggaactgccaccc  
 gccagcctcagcccatgcacttcccctgtcacatgaccattgagccccacaccttccctggcgtgccacccctg  
 gaggagctgaacctgagctacaacagcatcacgacagtagccgcctgcccagttccctcgtgtccctgtccttg  
 25 agcgtaccaacatcctggtgctggacctgccaacctgcagggctgcaactcctgcgctttctgttcctggat  
 ggcaactgctactacaagaaccctgcccgcagggcctgcaggtggccccggcgccctccttgccctgggcaac  
 cttagcacctgtcactcaagtacaacaacctcactgcggtgccccggcgccctgccccccagcctggagtacctg  
 ctattgtctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat  
 gtgggtgggaactgcgctgctgtgaccagccccgcaaccctgtatggagtggcccaagggttccccgcacctg  
 30 caccctgacaccttcagccacctgaaccacctggaaggcctggtgttgaggacagctctctctacaacctgaac  
 cccagatggttccatgcccctgggcaacctcatggtgctggacctgagtgagaacttctatatgactgcatcacc  
 aaaaccacagccttccagggcctggcccagctgcccagactcaacttgtctttcaattaccacaagaagggtgtcc  
 ttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgcatggcatcttc  
 ttccgctcgtcagcgagaccagctccggtcgtggtccacctgcccctgctccagagctctgcacctgcagatg  
 35 aacttcacatcaatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac  
 cgcataagtggagccatggagctggcggtgccacgggggaggtggatgggtggggagagagtcgggtgcccct  
 ggggacctagctctggggccacggggcaccctagctccgagggttcatgccagggtgcaagacctcaacttc  
 accttggacctgtcacggaacaacctagtgaacaatccagcagagatgtttgcccggctctcgcgcctcagtg  
 ctgctcctgagccgcaacagcatctcgcaggcagtcacaggctcacaatttatgcccgtgaccagcctgcaggtg  
 40 ctggacctgtcccataacaagctggacctgtacctggcgctctttcacggagctgcgcgggtggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcaggcggtgggtcacaacctcagctttgtggcacagctgcg  
 gccctgcgctatctcagcctggcgcaacagcatccacagccgtgtgtcccagcagctctgcagcgccctcgtg  
 cgggccttggaacttcagcggcaatgccttgagccggatgtggggcgaggagacctgtatctccacttcttcga  
 ggcctgaggagcctgggtccggttgatctgtcccagaatcgccctgcataacctcttgccacgcacctggacaac  
 45 ctccccaggctggaagccctggacctggcggggaaaccagctgaaggccctgagcaacggcagcttgccaatgga  
 accagctccagaggctggacctcagcagcaacagtatcagcttctggccctccagctttttgtcttgccgacc  
 aggtgcgagagctcaacctcagtgccaacgcctcaagacgggtggagccctcctgggttcgggtctctagcggg  
 acctgaaagtccatagatgtgactggcaacccctgcaactgcgcctgtggggcgccctcctggacttctgtg  
 50 gaggtgcaggctgcagtgcccgccctgccaggccacgtcaagtgtggcagtcacaggtcagctccagggcccgcagc  
 atctttgcccaggatctgcgcctctgcctggatgaggccctcctcctgggactgttttgge

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide  
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide  
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNILVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTGPALLGLSNLTHLSLKYNNTLTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRRCDHAPNPCIECGQKSLHLPETFHHLSHLEGLVLKDSLSLHTLN  
 SSWFQGLVNLSVLDLSENFYIESINHTNAFQNLTRLRKLNLNLSFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLPSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 25 FLNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVRSNPLHCACGAAFVDLLELVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFGSL  
 AVAVGMVVPILHHLGWDVWYCFHLCLAWPLLARSRRSAQALPYDAFVVDKAQSAVADWVYNELRVRLERRG  
 30 RRALRLCLEDRDWLPQQLTFENLWASIYGRKTLFVLAHTDRVSGLLRTSFLLAQQRLEDRKDVVVLVILRPDA  
 HRSRYVRLRQRLCRQSVLFWPQQPNGQGGFWAQLSTALTRDNRHFYNQNFRCGPTAE

#### SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNILVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTGPALLGLSNLTHLSLKYNNTLTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRRCDHAPNPCIECGQKSLHLPETFHHLSHLEGLVLKDSLSLHTLN  
 SSWFQGLVNLSVLDLSENFYIESINHTNAFQNLTRLRKLNLNLSFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF  
 35 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLPSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 40 FLNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVRSNPLHCACGAAFVDLLELVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatgggtctccgtcgaaggactctgcaccccttgcc  
 ctccctggtagaggtgcagtgctggctgagactctggccctgggtaccctgectgecttccatccctgtgagctg

- 25 -

aagcctcatggcctgggtgactgcaattggctgttccctgaagtctgtaccccggtttctctgcggcagcatcctgc  
 tccaacatcacccgctctccttgatctccaaccgtatccaccacctgcacaactccgacttctgacacctgtcc  
 aacctgcggcagctgaacctcaagtggaaactgtccaccactggccttagcccccctgcacttctcttgccacatg  
 accattgagcccagaaccttccctggctatgctgacactggaggagctgaacctgagctataatgggtatcaccact  
 5 gtgccccgactgcccagctccctgggtgaatctgagcctgagccacaccaacatcctgggttctagatgctaacagc  
 ctgcgcggcctatacagcctgcgcgttctcttcatggacgggaactgctactacaagaacccctgcacaggagcg  
 gtgaagggtgaccccaggcgccctcctgggctgagcaatctcaccatctgtctctgaagtataacaacctcaca  
 aagggtgccccgccaactgccccccagcctggagctacccctcctgggtgtcctataacctcattgtcaagctggggcct  
 10 gaagacctggccaatctgacctcccttcgagtactgtggtgggtgggaattgcccgtcgctgcgacctgcccc  
 aatccctgtatagaatgtggccaaaagtccctccacctgcacctgagaccttccatcacctgagccatctggaa  
 ggctgtgtgtaaggacagctctctccatacactgaactcttccctgggttccaaggctgtgttcaacctctcggtg  
 ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgcctttcagaacctaacccgcctgcgc  
 aagctcaacctgtccttcaattaccgcaagaaggatctcttggccgcctccacctggcaagttcttcaagaac  
 ctgggtgtcactgcaggagctgaacatgaacggcatcttcttccgctcgctcaacaagtacacgctcagatggctg  
 15 gccgatctgccccaaactccacactctgcacttcaaatagaacttcatcaaccaggcacagctcagcatcttgggt  
 accttccgagcccttcgcttgggtgactgtcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
 cctgaagaggcagatgatgcagagcaggaggagctgtgtctcggtatcctcaccagctccactgagcaccct  
 gcttctaagaacttcatggacaggtgtaagaacttcaagttcaccatggacctgtctcggaacaacctctgggtg  
 atcaagccagagatgtttgtcaatctctcagccctccagtgctttagcctgagccacaactccattgcacaggct  
 20 gtcaatggctctcagttcctgcccgtgactaatctgcaggtgtggacctgtccataacaaactggactgttac  
 cactggaaatcgttcagtgagctaccacagttgcaggccctggacctgagctacaacagccagccctttagcatg  
 aagggtataggccacaatttcagttttgtggcccatctgtccatgctacacagccttagcctggcacacaatgac  
 attcataccgctgtgtcctcaccatctcaacagcaactcagtgaggtttcttgacttcagcggcaacgggtatgggc  
 cgcgtgtgggatgaggggggccccttctcctcatttcttccaaggcctgagtgggcctgtgaagctggacctgtct  
 25 caaaataacctgcatactcctccggccccagaaccttgacaacctccccaagagcctgaagctgtgagcctccga  
 gacaactacctatcttctttaaactggaccagctgtgtccttccctgccccaaactggaagctcctagacctggcaggc  
 aaccagctaaaggccctgaccaatggcaccctgcctaataaggcaccctcctccagaaactggatgtcagcagcaac  
 agtatcgtctctgtgggtcccagccttcttcgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
 ctcaagacgggtggatcgctcctgggttggggccattgtgatgaacctgacagttcttagacgtgagaagcaacct  
 30 ctgcactgtgctgtggggcagccttctgtagacttactgttgagggtgcagaccaaggtgcctggcctggcta  
 ggtgtgaagtgtggcagccccggccagctgcaggggcctgagcatcttcgcacaggacctgcggctgtgctggat  
 gaggtcctctcttgggactgcttggccttctcactcttggctgtggccgtgggcatgggtgtcctatactgcac  
 catctctgcggctgggacgtctgttactgttttcatctgtgctggcctggcctggctaccttctgctggccgcgagccga  
 35 cgcagcgcgcaagctctccctatgatgccttcgtgggtgttcgataaggccacagagcgcagttgcccagctgggtg  
 tataacgagctgcgggtgcggctggaggagcggcgcggtgcgcgagccctacgcttctgtcttggaggaccgagat  
 tggctgcctggccagacgctcttcgagaacctctgggttccatctatgggagccgcaagactctatttgtgctg  
 gccacacagcagcgcgtcagtgccctcctgcgcaccagcttctgctggctcagcagcgcctgttgggaagaccgc  
 aaggacgtgggtgtgtggtgatcctgcgtccggatgccaccgctcccgctatgtgcgactgcgcagcgtctc  
 40 tgcgcgagagtgctgtcttcttggccccagcagcccaacgggcaggggggcttctggggccagctgagtagagcc  
 ctgactagggacaacccgaccttctataaccagaacttctgcccgggacctacagcagaatagctcagagcaaca  
 gctggaaacagctgcactcttcatgcctgggttcccgagttgctctgcctgc

## SEQ ID NO:31 (Murine TLR9)

atgggttctccgtcgaaggactctgcacccttgtccctcctgggtacaggctgcagtgctgggtgagactctggcc  
 45 ctgggtaccctgcttgccttccctaccctgtgagctgaagcctcatggcctgggtgactgcaattggctgttccctg  
 aagctctgtacccggttctctgcggcagcatcctgctccaacatcacccgctctccttgatctccaacgctatc  
 caccacctgcacaactccgacttctgccaacctgtccaacctgcggcagctgaacctcaagtggaaactgtccacc  
 actggccttagccccctgcacttctcttgccacatgaccattgagccagaaacctcctggctatgctgacactg  
 50 gaggagctgaacctgagctataatgggtatcaccactgtgccccgactgcccagctccctgggtgaatctgagcctg  
 agccacaccaacatcctgggtctagatgctaacagcctgcgcggcctatacagcctgcgcgttctcttcatggac  
 gggaactgtactacaagaaccttgcacaggagcgggtgaagggtgaccccaggcgccctcctgggctgagcaat  
 ctccccatctgtctctgaagtataacaacctcacaagggtgccccgccaactgccccccagcctggagtacctc  
 ctgggtcctataacctcattgtcaagctggggcctgaagacctggccaatctgacctcccttcgagtagtcttgat  
 55 gtgggtgggaattgcgctgcgtgcgacctgcccccaatcctgtatagaatgtggccaaaagtcctccacctg  
 caccctgagaccttccatcacctgagccatctggaaggcctgtgtgctgaaggacagctctctccatcacctgaac  
 tcttctgggttccaaggctgtgggtcaacctctcggtgtggacctaaagcgagaacttctctatgaaagcatcaac  
 cacaccaatgccttccagaacctaacccgctgcgcaagctcaacctgtccttcaattaccgcaagaaggatcc

- 26 -

tttgcccgcctccacctggcaagttccttcaagaacctgggtgtcactgcaggagctgaacatgaacggcatcttc  
 ttcgctcgcctcaacaagtacacgctcagatggctggccgatctgcccactccacactctgcatcttcaaagt  
 aacttcatcaaccaggcacagctcagcatcttttggtaccttccgagcccttcgctttgtggacttgtcagacaat  
 cgcacagtggtggccttcaacgctgtcagaagccacctgaagaggcagatgatgcagagcaggaggagctgttg  
 5 tctgcggtatcctcaccagctccactgagcaccctgcttctaagaacttcatggacaggtgtaagaacttcaag  
 ttcacatggacctgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaatctctcacgcctccag  
 tgtcttagcctgagccacaactccattgcacaggtgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtccataaacaactggacttgtaccactggaaatcgctcagtgagctaccacagttgcaggcc  
 ctggacctgagctacaacagccagcccttttagcatgaagggatagggccacaatttcagttttgtggcccatctg  
 10 tccatgctacacagccttagcctggcacacaatgacattcatacccggtgtgtcctcacatctcaacagcaactca  
 gtgaggttttcttgacttcagcggcaacggatgggcccagatgtgggatgaggggggctttatctccatttcttc  
 caaggcctgagtggtgctgaagctggacctgtctcaaaataacctgcatactctccggccccagaaccttgac  
 aacctccccaagagcctgaagctgctgagcctccgagacaactacatctttctttaactggaccagtctgtcc  
 ttctgcccaccttggaagtcctagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgccta  
 15 ggcacctcctccagaaactggatgtcagcagcaacagtatcgtctctgtgggtcccagcctctcttgcctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacgggtggatcgctcctgggtttgggcccattgtg  
 atgaacctgacagttctagacgtgagaagcaacctctgactgtgctgtggggcagcctctgtagacttactg  
 ttggaggtgcagaccaaggtgctggcctgaatgggtgtgaagtgtggcagccccggccagctgcagggccgt  
 agcatcttcgcacaggacctgcggtgtgctggatgaggtcctctcttgggactgctttggc

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHPLSLRHLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 25 SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTVVPRLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNPCMECPRHFPQLHPDTSFHLRLEGLVLKDSLSLWLN  
 ASWFRGLGNLRVLDLSENFLYKCTITKTKAFQGLTQLRKLNLSFNYQKRVSAHLRSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDSLSDNRISGASELTATMGEADGGEKVLQ  
 GDLPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 30 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFMGQGVGHNFSAHLRTRLRHLRLAHNNIHSQVVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRHLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRRLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDHWSFGPLAS  
 ALQILDVSPANLHCACGAAFMDFLLEVQAAVPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLA  
 VALGLGVPMHLHLCGWDLYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVDKTSQSAVADWVYNELRGQLEECRG  
 35 RWALRLCLEERDWLPKGLTFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILSPDG  
 RRSRYVRLRQLRQSVLLWPHQPSGQRSFWAQLGMALTRDNHFFYNRNFCQGPTAE

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHPLSLRHLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTVVPRLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNPCMECPRHFPQLHPDTSFHLRLEGLVLKDSLSLWLN  
 ASWFRGLGNLRVLDLSENFLYKCTITKTKAFQGLTQLRKLNLSFNYQKRVSAHLRSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDSLSDNRISGASELTATMGEADGGEKVLQ  
 GDLPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 45 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFMGQGVGHNFSAHLRTRLRHLRLAHNNIHSQVVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRHLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRRLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDHWSFGPLAS  
 ALQILDVSPANLHCACGAAFMDFLLEVQAAVPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

## 50 SEQ ID NO:35 (Human TLR9)

aggctggatataaaaatcttacttctctattctctgagccgctgctgcccctgtgggaagggacctcgagtgtga  
 agcatcttccctgtagctgctgtccagctctgcccgcagaccctctggagaagcccctgccccccagcatgggt  
 tctgcccgcagcgcctgaccccgctgtctctcctgggtgcaggccatcatgctggccatgacctggccctgggt

- 27 -

accttgccctgaccttccctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttccctgaagtct  
 gtgccccacttctccatggcgagcaccocgtggcaatgtcaccagccttccctgtcctccaaacgcacatccaccac  
 ctccatgattctgacttttgccacctgccagcctgcggcatctcaacctcaagtggaaactgcccgcgggttggc  
 ctgagccccatgcaacttccctgccacatgaccatcgagcccagcacttcttggctgtgcccacccctggaagag  
 5 ctaaactgagctacaacaacatcatgactgtgcctgcgctgcccacaaatccctcatatccctgtccctcagccat  
 accaaccatcctgatgctagactctgccagcctcgccggcctgcatgccctgcgcttccattcatggacggcaac  
 tgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgccctccctggcctgggcaacctcacc  
 cactgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctgctgttg  
 tccataacccgcactcgtcaaactggcgctgaggacctggccaatctgaccgcccctgcgtgtgctcgatgtgggc  
 10 ggaaattggccgctgcgaccacgctcccaacccctgcatggagtgccctcgctcacttccccagctacatccc  
 gataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaatgccagt  
 tgggtccgtgggtgggaaacctccgagtgtggtggacctgagtgagaacttccctctacaaatgcatcactaaaacc  
 aaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaaagggggtgtcctttgcc  
 cactgtctctggcccccttccctcgaggcctgggtgcgcccgaaggagctggacatgcacggcactcttcttccgc  
 15 tccctcgatgagaccacgctccggccactggccccgctgccatgctccagactctgcgtctgcagatgaacttc  
 atcaaccaggcccagctcggcatcttcagggccttccctggcctgcgctacgtggacctgtcggacaaccgcac  
 agcggagcttccggagctgacagccaccatgggggaggcagatggaggggagaaggctctggctgcagcctggggac  
 cttgctccggccccagtggaacttccagctctgaagacttcaggcccaactgcagcaccctcaacttccacttg  
 gatctgtcacggaacaaacctgggtgacctggcgcggagatgttggccagctctcgcaactgcagtgccctgcgc  
 20 ctgagccacaactgcatctcgaggcagtcacatggctcccagttcctgcgctgaccggtctgcaggtgctagac  
 ctgtcccgcaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctggacctc  
 agctacaacagccagcccttggcatgcagggcggtggggccacaacttcagcttctgtggctccctgcgcaccctg  
 cgccacctcagcctggccacacaacatccacagccaaagtgtcccagcagctctgcagtacgtcgctgcggggcc  
 ctggacttcagcggcaatgcactgggcatatgtgggcccaggaggacacctctatctgcacttcttccaaggcctg  
 25 agcgggttgatctggctggacttgtccagaacccgctgcacaccctccctgccccaaacctgcgcaacctcccc  
 aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtgggtggagcctccacttccctgcc  
 aaactggaaagtccctcgacctggcaggaaacctggaaggccctgaccaatggcagcctgctgctggcaccgg  
 ctccggaggctggatgtcagctgcaacagcatcagcttctgtggcccccggttcttttccaaggccaaaggagctg  
 cgagagctcaaccttagcgccaacgcctcgaagacagtggaacctcctgggttggggccctggcgagtgcctg  
 30 caaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttctatggacttccctgctggaggtg  
 caggctgcccgtgcccgtctgcccagccgggtgaagtgtggcagtcggggccagctccaggccctcagcatcttt  
 gcacaggacctgcgcctctgctggatgaggccctctcctgggactgtttcgccctctcgctgctggctgtggct  
 ctgggcccgtgggtgtgcccctgctgcacacctctgtggctgggacctctggtaactgcttccacctgtgcctggcc  
 tggcttccctggcgggggcggaagtgggagagatgaggatgcctgcccctacgatgccttccgtggctcttcgac  
 35 aaaacgcagagcgcagtgaggactgggtgtacaacagacttccggggcagctggaggagtgcctggggcgctgg  
 gcaactccgcctgtgcctggaggaaacgcgactggctgcctggcaaaacctcttggagaacctgtgggcccctggct  
 tatggcagccgcaagacgctgtttgtgctggccacacggaccgggtcagtggtctcttgcgcgccagcttccctg  
 ctggcccagcagcgcctgctggaggaccgcaaggacgtcgtgggtgctggtgatcctgagccctgacggccgcgc  
 tcccgtacgtgcggctgcccagcgcctctgcgcagcagtgctcctcctctggccccaccagcccagtggtcag  
 40 cgcagcttctgggcccagctgggcatggccctgaccagggacaaccaccacttctataaccggaaacttctgcccag  
 ggacccacggccgaatagccgtgagccggaatcctgcacgggtgccacctccacactcactcactcctctgctgccc  
 tggctgacccctccctgctgcctccctcaccccacacctgacacagagca

## SEQ ID NO:36 (Human TLR9)

atgggtttctgcccagcgcgcctgcacccgctgtctctcctgggtgcaggccatcatgctggccatgacctggcc  
 ctgggtaccttgctgccttccctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttccctg  
 aagtctgtgccccacttctccatggcgagcaccocgtggcaatgtcaccagccttccctgtcctccaaacgcac  
 caccacctccatgattctgacttttgccacctgccagcctgcggcatctcaacctcaagtggaaactgcccgcgc  
 gttggcctcagccccatgcaacttccctgccacatgaccatcgagcccagcacttcttggctgtgcccacccctg  
 50 gaagagctaaactgagctacaacaacatcatgactgtgcctgcgctgcccacaaatccctcatatccctgtccctc  
 agccataccaacatcctgatgctagactctgccagcctcgccggcctgcatgccctgcgcttccattcatggac  
 ggcaactgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgccctccctggcctgggcaac  
 ctcccccactgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctg  
 ctggttgcctacaaccgcactcgtcaaactggcgctgaggacctggccaatctgaccgcccctgcgtgtgctcgat  
 55 gtgggcggaattgcccgcgctgcccagcgcctcccaacccctgcatggagtgccctcgctcacttccccagcta  
 catcccgataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaat  
 gccagttgggtccgtgggctgggaaacctccgagtgtggtggacctgagtgagaacttccctctacaaatgcatcact

- 28 -

aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacccaaagaggggtgtcc  
 ttgcccacctgtctctggcccttcccttcgggagcctgggtgcacctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccagctccggccactggcccgccctgccatgctccagactctgcgtctgcagatg  
 aacttcacacacagggccagctcggcatcttcagggccttccctggcctgcgctacgtggacctgtcggacaac  
 5 cgcacagcggagcttcggagctgacagccaccatgggggagggagatggaggggagaaggtctggctgcagcct  
 ggggaccttgctccggcccgagtgagacactcccagctctgaagacttcaggcccaactgcagcacccctcaacttc  
 accttggtatctgtcacggaacaacctgggtgacctgcagccggagatgtttgcccagctctcgcacctgcagtg  
 ctgcgctgagccacaactgcacctcgcagggcagtcacatgggtcccagttcctgcgctgacctgtgcaggtg  
 ctagacctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggagggccctg  
 10 gacctcagctacaacagccagcccttttggcatgcaggggcgtggggccacaacttcagcttcgtggctcacctgcgc  
 accttgccgacactcagcctggccccaacaacatccacagccaagtgtccagcagctctgcagctacgtcgtg  
 cgggcccctggacttcagcggcaatgcactgggcatatgtgggcccagggagacctctatctgcacttcttccaa  
 ggctgagcgggtttgatctggctggacttgtcccagaaccgctgcacacctcctgccccaaacctgcgcaac  
 ctccccaagagcctacaggtgctgcgtctcgtgacaattacctggccttctttaagtggtggagcctccacttc  
 15 ctgccccaaactggaagtccctgcacctggcaggaaaccggctgaaggccctgaccaatggcagcctgcctgctggc  
 acccggtcccgagggttgatgtcagctgcaacagcatcagcttcgtggcccccggttcttttccaggccaag  
 gagctgcgagagctcaaccttagcgcgaacgcctcaagacagtggaacctcctgggttggggccctggcgagt  
 gccctgcaataactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttctatggacttccctgctg  
 20 gaggtgcagggtgcccgggtctgcccagccgggtgaagtgtggcagtcggggccagctccagggccctcagc  
 atctttgcacaggacctgcgcctctgcctggatgagggccctctcctgggactgtttcgc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide  
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is  
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in  
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.  
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid  
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA



- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine  
10 dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15 
$$5'\text{-N}_1\text{X}_1\text{CGX}_2\text{N}_2\text{-3'}$$

wherein  $\text{X}_1$  and  $\text{X}_2$  are nucleotides, N is any nucleotide, and  $\text{N}_1$  and  $\text{N}_2$  are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments  $\text{X}_1$  is adenine, guanine, or thymine and/or  $\text{X}_2$  is cytosine, adenine, or thymine. In other embodiments  $\text{X}_1$  is cytosine and/or  $\text{X}_2$  is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a  
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising  
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease). Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.

- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

	MBD-1	R-XXXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
	hTLR9	Q-XXXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
	mTLR9	Q-XXXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5	hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
	mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSSELP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid  
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test



- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale  
5 and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening  
10 assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the  
15 throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

20 The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

25 Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNeasy<sup>TM</sup> (Ambion<sup>®</sup>, Austin, TX, USA), stabilized at  
30 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:  
20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZEROTM - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment  
5 were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

10 Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19,  
15 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

20 Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple  
25 sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino  
30 acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

**Figure 2** presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTTCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;

- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in **Figure 3**.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

### Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

5

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

10

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

15

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

20

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:  
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;  
generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

25

30



- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

20 generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

30

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5           12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10           14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15           contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
              measuring a signal in response to the contacting; and  
              identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20           17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25           18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30           20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, 5 GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the 10 contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

15 23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

Figure 1  
(1/3)

```

feline      MGPCHGALHPLSLLVQAAALAVALAAGTLPFAFLPCELQPHGLVNCNWLFLKSVPHFSAAA 60
canine      MGPCRGALHPLSLLVQAAALALALAAGTLPFAFLPCELQPHGLVNCNWLFLKSVPRFSAAA 60
bovine      MGP-YCAPHPLSLLVQAAALAAALAEGTLPFAFLPCELQPHGQVDCNWLFLKSVPHFSAGA 59
mouse       MGP-YCAPHPLSLLVQAAALAAALAEGTLPFAFLPCELQPHGQVDCNWLFLKSVPRFSAGA 59
ovine       MGP-YCAPHPLSLLVQAAALAAALAAGTLPFAFLPCELQPHGQVDCNWLFLKSVPHFSAGA 59
porcine     MGP-RCTLHPLSLLVQVTAALAAALAAGRLPAFLPCELQPHGLVNCNWLFLKSVPHFSAAA 59
horse       MGPCHGALQPLSLLVQAAMLAVALAAGTLPFPFLPCELQPHGLVNCNWLFLKSVPHFSAAA 60
human       MGFCRSALHPLSLLVQAIMLAMTLALGTLPFAFLPCELQPHGLVNCNWLFLKSVPHFSMAA 60
rat         MVLCCRTHPLSLLVQAVALAEALALGTLPFAFLPCELKPHGLVDCNWLFLKSVPHFSAAE 60
*           : :*****. ** : ** * **.******: : * *:*****:*** .

feline      PRGNVTSLSLYSNRIHHLHDSDFVHLSLRLNLKWNCPASLSPMHFFCHMTIEPHTFL 120
canine      PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFFCHMTIEPNTFL 120
bovine      PRANVTLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFFPCRMTEPNTFL 119
mouse       PRANVTLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFFPCRMTEPNTFL 119
ovine       PRANVTLSLSISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFFPCRMTEPNTFL 119
porcine     PRANVTLSLSISNRIHHLHDSDFVHLSLRTNLKWNCPAGLSPMHFFCHMTIEPNTFL 119
horse       PRDNVTSLSLSNRIHHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFFCHMTIEPNTFL 120
human       PRGNVTSLSLSSNRIHHLHDSDFAHLPRLHNLKWNCPVGLSPMHFFCHMTIEPSTFL 120
rat         PRSNITSLSIANRIHHLHNLDFVHLPNVRQLNLKWNCPVGLSPHFFSCRMTIEPKTFL 120
** *:***** :*****: **:: : :***** .***:***:***** ***

feline      AVPTLEELNLSYNSITTPALPSSLSLSLRTNIVLDPANLAGLHSLRFLDGNCCY 180
canine      AVPTLEDNLSYNSITTPALPSSLSLSLRTNIVLDPATLAGLYALRFLDGNCCY 180
bovine      AVPTLEELNLSYNGITTPALPSSLSLSLSTSIILVLGPTHFTGLHALRFLYMDGNCCY 179
mouse       AVPTLEELNLSYNGITTPALPSSLSLSLSTSIILVLGPTHFTGLHALRFLYMDGNCCY 179
ovine       AVPTLEELNLSYNGITTPALPSSLSLSLSTSIILVLGPTHFTGLHALRFLYMDGNCCY 179
porcine     AVPTLEELNLSYNSITTPALPDSLSLSLRTNIVLDPHTLGLHALRFLYMDGNCCY 179
horse       AVPTLEELNLSYNGITTPALPSSLSLSLRTNIVLQDPTSLTGLHALRFLYMDGNCCY 180
human       AVPTLEELNLSYNNIMTPALPKSLISLSLSTNIMLDSASLAGLHALRFLYMDGNCCY 180
rat         AMRMLEELNLSYNGITTPRLPSSLNLSLSTNIVLVDASSLAGLHSLRVLFMDGNCCY 180
*           *:*****. * *** **.*. * **:*.*.*** :*:***** :*:*****

feline      KNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHITLAPEDL 240
canine      KNPCQQAALQVAPGALLGLGNLTHLSLKYNNTLVPRGLPPSLEYLLSYNHITLAPEDL 240
bovine      MNPCPRALEVAPGALLGLGNLTHLSLKYNNTLVPRRLPPSLDTLLSYNHIVTLAPEDL 239
mouse       MNPCPRALEVAPGALLGLGNLTHLSLKYNNTLVPRRLPPSLDTLLSYNHIVTLAPEDL 239
ovine       KNPCQQALEVAPGALLGLGNLTHLSLKYNNTLVPRRLPPSLDTLLSYNHITLAPEDL 239
porcine     KNPCQGALEVVPGALLGLGNLTHLSLKYNNTLVPRSLPPSLETLLSYNHIVTLTAPEDL 239
horse       KNPCGRALEVAPGALLGLGNLTHLSLKYNNTLVPRSLPPSLEYLLSYNHIVTLAPEDL 240
human       KNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVPRNLPPSLEYLLSYNRIVKLAPEDL 240
rat         KNPCNGAVNVTIPDAFLGLSNLTHLSLKYNNTLVPRQLPPSLEYLLSYNLIVKLGAEDL 240
*** *:***.*.***.****** ***** **.*: ***** :*. * .***

feline      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSHLNHLEGLVLKDSLSYLN 300
canine      ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPLHPNTFGHLSHLEGLVLKDSLSYSLD 300
bovine      ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSYKLE 299
mouse       ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSYKLE 299
ovine       ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSYKLE 299
porcine     ANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLSYLNLD 299
horse       ANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSYQLN 300
human       ANLTALRVLDVGGNCRRCDHARNPCMECPRHFPQLHPDTFSHLSRLEGLVLKDSLSYSLN 300
rat         ANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHLSHLEGLVLKDSLSYSLN 300
***:***:***** : * * : .***:*** **.*:*****:***** *:

feline      PRWFHALGNLMVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHKKVSAFHLHLAPSF 360
canine      PRWFHGLGNLMVLDLSENFLYDCITKTAFYGLARLRRLNLSFNHKKVSAFHLHLASSF 360
bovine      KDWFRGLGRQLQVLDLSENFLYDYITKTTFIENDLTQLRRLNLSFNHKKVSAFHLHLASSF 359
mouse       KDWFRGLGRQLQVLDLSENFLYDYITKTTFIENDLTQLRRLNLSFNHKKVSAFHLHLASSF 359
ovine       KDWFRGLGRQLQVLDLSENFLYDYITKTTFIERNLTQLRRLNLSFNHKKVSAFHLQLAPSF 359
porcine     TRWFRGLDRLQVLDLSENFLYDCITKTAFQGLARLRSLNLSFNHKKVSAFHLHLAPSF 359
horse       PRWFRGLGNLTVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHKKVSAFHLTLAPSF 360
human       ASWFRGLGNLTVLDLSENFLYDCITKTAFQGLTQLRRLNLSFNHKKVSAFHLHLASSF 360
rat         SKWFQGLANLSVLDLSENFLYESINKTSAFQNLRLRLKLDLSFNHKKVSAFHLHLASSF 360
*           *:.* * *****. *.*. * *:*** *:***** :*****:***.***

```

**Figure 1**  
**(2/3)**

[illegible]

**Figure 1  
(3/3)**

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLVDVTGNPLHCAACGAAFVDFLLEQV	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLVDVTANPLHCACGATFVDFLLEQV	780
bovine	GFFVRATRLLIELNLSANALKTVDPSPWFGSLAGTLKILDVSPANPLHCACGAAFVDFLLERQ	776
mouse	GFFVRATRLLIENLSANALKTVDPSPWFGSLAGTLKILDVSPANPLHCACGAAFVDFLLERQ	776
ovine	GFFVLANRLKELNLSANALKTVDPSPWFGRILTETLNILDVSPANPLHCACGAAFVDFLLEMQ	776
porcine	GFFALAKQLBELNLSANALKTVEPSWFGSMVGNLKVLVDVSPANPLHCACGATFVGFLLEQV	777
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLEVLDVSPANPLHCACGAAFVDFLLQVQ	778
human	GFFSKAKELRELNLSANALKTVDSWFGPLASALQILDVSPANPLHCACGAAFMDFLLEQV	778
rat	AFFALVELKEVNLSHNILKTVDRSWFGPIVMNLTVLDDVSSNPLHCACGAAPFDLLEQV	779
	. ** * . * : *** * * : * : *** : . * : *** : ***** . * : : *** :	
feline	AAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCCFGLSLLTVALGLAVPMLHHLL	838
canine	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCCFGLSLLAVALGLAVPMLHHLL	840
bovine	EAVPGLSRVRTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFCGLSLLMVALLGLAVPMLHHLL	836
mouse	EAVPGLSRVRTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFCGLSLLMVALLGLAVPMLHHLL	836
ovine	AAVPGLSRVRTCGSPGQLQGRSIFAQDLRLCLDETLSLDCFCGLSLLMVALLGLAVPMLHHLL	836
porcine	AAVPGLPSRVKCGSPGQLQHGSIFAQDLRLCLDETLSWNCCFGLSLLAMALGLVVPMLHHLL	837
horse	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCCFGLSLLVVALGLAMPMLHHLL	838
human	AAVPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCCFGLSLLAVALGLGVPMHHLL	838
rat	TKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCCFGLSLLAVAVGTVLPLLHLL	839
	****. * . **** * * * * . ****. * * . * . * . * . * . *	
feline	CGDWLWYCFHLCLAWLPRRGRR--RGADALPYDAFVVFDKAQSABADVYNELRVLRLEER	896
canine	CGDWLWYCFHLCLAWLPRRGRR--RGVDALAYDAFVVFDKAQSSVADVYNELRVQLEER	898
bovine	CGDWLWYCFHLCLAHLPRRRQR--RGEDTLLYDAVVVFDDKVQSAVADVYNELRVQLEER	894
mouse	CGDWLWYCFHLCLAHLPRRRQR--RGEDTLLYDAVVVFDDKVQSAVADVYNELRVQLEER	894
ovine	CGDWLWYCFHLCLAHLPRRRQR--RGEDTLLYDAVVVFDDKAQSAVADVYNELRVQLEER	894
porcine	CGDWLWYCFHLCLAWLPHRGQR--RGADALFYDAFVVFDKAQSAVADVYNELRVQLEER	895
horse	CGDWLWYCFHLGLAWLPRRWQ--RGADALSIDAFVVFDKAQSAVADVYNELRVQLEER	896
human	CGDWLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFDKTSQSAVADVYNELRGQLEEC	898
rat	CGDWVWYCFHLCLAWLPLLTRGR-RSAQALPYDAFVVFDKAQSAVADVYNELRVLRLEER	898
	***.***** * * * * . * . : * * * . ***** . * : ***** : ***	
feline	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLAQORL	956
canine	RGRRALRLCLEERDWPVGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLAQORL	958
bovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDTDRVSGLLRASFLAQORL	954
mouse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDTDRVSGLLRASFLAQORL	954
ovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDTDRVSGLLRASFLAQORL	954
porcine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLAQORL	955
horse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLAQORL	956
human	RGRWALRLCLEERDWLPGKTLFENLWASVYSGRKTLFVLAHTDRVSGLLRASFLAQORL	958
rat	RGRRALRLCLEDROWLPGQTTFENLWASIYSGRKTLFVLAHTDKVSGLLRTSFLLAQORL	958
	*** ***** : *** . * : ***** : * . * * * : * * * : * . * : ***** : *****	
feline	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLLWHPHQPSGQRSFWAQLGTALTRDNQ	1016
canine	LEDKRDVVVLVILCPDAHRSRYVRLRQRLCRQSVLLWHPHQPSGQRSFWAQLGTALTRDNR	1018
bovine	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWHPHQPSGQSFWANLGIALTRDNR	1014
mouse	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWHPHQPSGQSFWANLGIALTRDNR	1014
ovine	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWHPHQPSGQSFWANLGMALTRDNR	1014
porcine	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWHPHQPSGQSFWAQLGTALTRDNH	1015
horse	LEDKRDVVVLVILSPDARRSYVRLRQRLCRQSVLFWHPHQPSGQRSFWAQLGMALTRDNR	1016
human	LEDKRDVVVLVILSPDGRRSYVRLRQRLCRQSVLLWHPHQPSGQRSFWAQLGMALTRDNH	1018
rat	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLFWHPHQPNQGQSFWAQLSTALTRDNH	1018
	***** * . ***** : ***** * * * * . * . * * * :	
feline	HFYNQNFCRGPTTAE-----	1031
canine	HFYNQNFCRGPTTA-----	1032
bovine	HFYNRNFCRGPTTAE-----	1029
mouse	HFYNRNFCRGPTTAE-----	1032
ovine	HFYNRNFCRGPTTAE-----	1029
porcine	HFYNRNFCRGPTTAE-----	1030
horse	HFYNQNFCRGPTMAE-----	1031
human	HFYNRNFCQGPTAE-----	1032
rat	HFYNRNFCRGPTAE-----	1032
	***** * * * * *	

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
 University of Saskatchewan  
 Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WQ00

<150> US 60/412,479  
 <151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1  
 <211> 1032  
 <212> PRT  
 <213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140



Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys		
625	630	635 640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu		
	645	650 655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser		
	660	665 670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn		
	675	680 685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu		
	690	695 700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala		
705	710	715 720
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn		
	725	730 735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
	740	745 750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
	755	760 765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
	770	775 780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795 800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
	805	810 815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val		
	820	825 830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe		
	835	840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 2  
 <211> 821  
 <212> PRT  
 <213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
 610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
 645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
 660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
 675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

[illegible]

```
<210> 3
<211> 3099
<212> DNA
<213> Rattus norvegicus
```

[illegible]



gcccccgacc tctgtacaga atgccggcag aagtccecttg atctgcaccc tcagactttc	840
catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctcgctgaac	900
tccaagtggg tccaggggtct ggcgaaacctc tcgggtgctgg acctaaagcga gaactttctc	960
tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac	1020
ctgtcccttca attactgcaa gaaggatatcg ttccgcccgc tccacctggc aagttccttc	1080
aagagcctgg tgtcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac	1140
aagaacacgc tcagggtggct ggtggtgtg cccaagctcc acacgctgca ccttcaaagt	1200
aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg	1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag	1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagac	1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg	1440
tctcggaaca accagggtgac tatcaagcca gagatgttcg tcaacctctc ccattctccag	1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg	1560
ctgaccaacc tgaagggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa	1620
tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc	1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac	1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca	1800
gtggagtatc tggacttcag cggcaacggg gtggggccgca tgtgggacga ggaggacctt	1860
tacctctatt tcttccaaga cctgagaagc ctgattcacc tggacctgtc tcagaataag	1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt	1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggecttctt gcccaatctg	2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt	2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc	2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact	2220
gtggatcgct cctgggtttg gccatttgt atgaacctga cggttctaga cgtgagcagc	2280
aacctctgac attgtgctg cggcgcaccc tttgtagact tactgctgga agtgcagacc	2340
aaggcgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc	2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcttttctcg ggactgcttt	2460
ggcctttcac tctgggtgt ggccgtgggc acggtgttgc ctttactgca gcatctctgc	2520
ggctgggacg tctggtactg tttccatctg tgctggcat ggctacctt gctgacctgt	2580

```

ggccggcgca ggcgccaagc totcccttat gatgccttcg tgggtgtcga taaggcgag 2640
agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700
cgccgagccc tacgcttggt totggaggac cgagattggc tgccctggcca gacactcttc 2760
gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820
gacaagggtca gtggcctcct gcgcaccagc ttctgtctgg ctcagcagcg cctgctggag 2880
gaccgcaagg acgtggtggt gttggtgatc ctgcgccttg atgcccaccg ctcccgtac 2940
gtgcgactgc gccagcgctt ctgcgcagc agtgtgtctt tctggcccca tcagcccaac 3000
gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060
tataaccgga acttctgccc gggacctaca gcagaatag 3099

```

```

<210> 4
<211> 2463
<212> DNA
<213> Rattus norvegicus

```

```

<400> 4
atggttctct gtcgcaggac cctgcacccc ttgtctctcc tgggtacaggc cgcagtgtg 60
gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120
ggcctggtag actgcaactg gctcttctct aagtctgtgc ctactttctc tgccgcagaa 180
ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240
ctcgactttg tccacctgcc caacgtgoga cagctgaacc tcaagtggaa ctgtccgccc 300
cctggcctca gcccccttga cttctcctgc cgcattacca ttgagcccaa aaccttcctg 360
gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420
ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggt actcgatgcc 480
agcagcctcg ctggcctgca cagcctgoga gttctcttca tggacgggaa ctgctactac 540
aagaaccctt gcaacggggc ggtgaacgtg accccggagc ccttcctggg cttgagcaac 600
ctcaccactt tgtcccttaa gtataacaac ctacagagg tgccccgcca actgcccccc 660
agcctggagt acctcctgct gtcctataac ctcatcgtca agctgggggc cgaagacctt 720
gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780
gcccccgacc totgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc 840
catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctcgctgaac 900
tccaagtggg tccagggctt ggcaacctc tcgggtgtgg acctaaagca gaactttctc 960
tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctgcg caagctcgac 1020

```

```

ctgtccttca attactgcaa gaaggtatcg ttgcgccgcc tccacctggc aagttccttc 1080
aagagcctgg tgtcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
aagaacacgc tcaggtggct ggctggctctg cccaagctcc acacgctgca ccttcaaagt 1200
aatctcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcacccacgc tctcccgagc 1380
actccgctct caaagaactt catggctcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accagggtgac tatcaagcca gagatgttcg tcaacctctc ccattctccag 1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg 1560
ctgaccaacc tgaagggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggg gtgggccgca tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcadc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttcctgaca atcacctctc tttctttaac tggagcagtc tggccttctt gcccaatctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgtct tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccatttgtg atgaacctga cggttctaga cgtgagcagc 2280
aaccctctgc attgtgcctg cgggtcaccc tttgtagact tactgctgga agtgcagacc 2340
aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc 2463

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa

<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705		710		715		720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu						
	725			730		735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys						
	740			745		750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr						
	755			760		765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro						
	770			775		780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile						
	785			790		800
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn						
	805			810		815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro						
	820			825		830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu						
	835			840		845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala						
	850			855		860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val						
	865			870		875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg						
	885			890		895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro						
	900			905		910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg						
	915			920		925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu						
	930			935		940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110



Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> Sus scrofa

<400> 7  
 gagcacgaac atccttcact gtagctgctg cccggtctgc cagccagacc ctttggagaa 60  
 gaccccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcttgggtgca 120  
 ggtgacagcg ctggctgcgg ctctggccca gggcaggtg cctgccttcc tgccctgtga 180  
 gctccagccc caccggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctggcgggca ggcgccggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgcccg ccggctggcc tcagcccat gcaactcccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggcctgac ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgcccg actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540  
 ggtgctagac cccaccacc tcaactggcct acatgccttg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgcccctct 660  
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc cccagcctgg agacctgct gttgtcctac aaccacattg tcacctgac 780  
 gcctgaggac ctggccaatc tgactgcctt gcgcgtgctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgcccgca acccctgcag ggagtgccca aaggaccacc ccaagctgca 900  
 ctctgacacc ttcagccacc tgagccgcct cgaaggcctg gtgttgaaag acagttctct 960  
 ctacaacctg gacaccaggt ggttcgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080  
 gcgcagcctc aacctgtcct tcaattacca caagaagggtg tcctttgccc acctgcacct 1140  
 ggcacctctc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200  
 ccgctcgctc agtgagacca cgctccaacc tctgggtccaa ctgcctatgc tccagacctt 1260  
 gcgcctgcag atgaacttca ttaaccagga ccagctcagc atctttgggg ccttccctgg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggta gggagagggt ctggctgcct tcaggaacc tcgctccacg 1440  
 tccactggac actctccgct cagaggactt catgccaaac tgcaaggcct tcagcttcac 1500

cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560  
 acgcctcgag tgcctgcgcc tgagccacaa cagcatctcc caggcggta atggctctca 1620  
 gtttgtgccg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680  
 tcacggggcg tcttcacgg agctgccgcg cctggaagca ctggacctca gctacaatag 1740  
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgccgcg 1800  
 cctgcgctac ctgacctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860  
 tagcgcctca ctgtgcgcc tggacttttag cggcaacgat ctgagccgga tgtgggctga 1920  
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980  
 ccagaaccac ctgcacacc tctgtccacg tgccctggac aacctccca aaagcctgaa 2040  
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100  
 gcccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160  
 cctgccatct ggcaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220  
 gaacctggc tcttttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280  
 cctcaagaca gtggagccct cctggtttg ctcgatggtg ggcaacctga aagtcctaga 2340  
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tctgtctgga 2400  
 ggtacaggct gccgtgcctg ggctgcccag ccgcgtcaag tgtggcagtc cggggcagct 2460  
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga cctctcgtg 2520  
 gaactgtttt ggcattctgc tgcctggccat ggccctgggc ctggttgtgc ccatgctgca 2580  
 ccacctctgc ggctgggacc tctggctactg cttccacctg tgccctggcct ggctgcccc 2640  
 ccgagggcag cggcggggcg cagacgccct gttctatgat gccttcgtgg tctttgacaa 2700  
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760  
 ccgtgggcgc cgcgcactgc gcctgtgcct ggaggagcga gactgggtac ctggcaagac 2820  
 gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagaccctgt ttgtgctggc 2880  
 ccacacggac cgtgtcagcg gcctcttgcg tgccagttc ctgctggccc agcagcgct 2940  
 gctggaggac cgcaaggacg ttgtagtgct ggtgatcctg cgcgccgatg cctaccgctc 3000  
 ccgtacgtg cggctgcgcc agcgcctctg ccgccagagt gtcctcctct ggcaccacca 3060  
 gcccctggg cagggcagct tctgggcca gctgggcaca gccctgacca gggacaacca 3120  
 ccacttttat aaccggaact tctgcgggg cccacgaca gccgaatagc actgagtgc 3180  
 agcccagttg cccagcccc cctggatttg cctctctgcc tggggtgccc caacctgctt 3240  
 tgctcagcca caccactgct ctgtccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atgggcccc gctgcaccct gcacccctt tctctcctgg tgcaggtgac agcgctggct 60  
 gcggtctctg cccagggcag gctgcctgcc ttctgacct gtgagctcca gccccacggc 120  
 ctggtgaact gcaactggct cttcctgaag tcctgcccc acttctcggc ggcagcgccc 180  
 cgggccaacg tcaccagcct ctccttactc tccaaccgca tccaccacct gcacgactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaaactg cccgcgggct 300  
 ggctcagcc ccatgcactt cccctgccac atgaccatcg agcccaacac cttcctggcc 360  
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgccttg 420  
 cccgactccc tcgtgtccct gtgctgagc cgcaccaaca tcctgggtgt agaccccacc 480  
 cacctcactg gcctacatgc cctgcgtac ctgtacatgg atggcaactg ctactacaag 540  
 aacccctgcc agggggcgct ggaggtggtg ccgggtgccc tcctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggaggtgc cccgcagcct gccccccage 660  
 ctggagaccc tgctgttgtc ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg ccctgcgctg gcttgatgtg ggggggaact gccgcgctg tgacctatgc 780  
 cgcaaccct gcagggagtg cccaaaggac caccccaagc tgcactctga caccttcagc 840  
 cacctgagcc gcctogaagg cctgggtgtg aaagacagtt ctctctacaa cctggacacc 900  
 aggtggttcc gaggcctgga caggctccaa gtgctggacc tgagtgagaa cttcctctac 960  
 gactgcatca ccaagaccac ggccttcag ggcctggccc gactgcgcag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacactgc acctggcacc ctctttggg 1080  
 cacctccggt cctgaagga gctggacatg catggcatct tcttcgctc gctcagtgag 1140  
 accacgctcc aacctctggt ccaactgcct atgctccaga ccctgcgcct gcagatgaac 1200  
 ttcattaacc agggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcggaca accgcatcag cggagctgca aggccagtgg ccattactag ggaggtggat 1320  
 ggtagggaga gggctctggct gccttcagg aacctcgctc cagctccact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtggagatg ttgctcgcc tctcacgcct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcagtttgt gccgctgacc 1560  
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctcagctaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740  
 ctggcgcaaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcactgtgc 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggtcggacc tgtcccagaa ccacctgcac 1920  
 accctcctgc cacgtgccct ggacaacctc cccaaaagcc tgaagcatct gcattctcgt 1980  
 gacaataacc tggccttctt caactggagc agcctgacct tctgccccaa gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggtt ttgtgaacct tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctcagcgcca atgccctcaa gacagtggag 2220  
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaacctt 2280  
 ctgcactgtg cctgtggggc gaccttcgtg ggcttcctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagccgct caagtgtggc agtccggggc agtccaggg ccatagcatc 2400  
 tttgcgcaag acctgcgct ctgectggat gagacctct cgtggaactg ttttggc 2457

<210> 9

<211> 1029

<212> PRT

<213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                                     85                                    90                                    95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
                                     100                                    105                                    110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
                                     115                                    120                                    125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
                                     130                                    135                                    140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
                                     145                                    150                                    155                                    160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
                                     165                                    170                                    175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
                                     180                                    185                                    190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
                                     195                                    200                                    205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
                                     210                                    215                                    220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
                                     225                                    230                                    235                                    240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
                                     245                                    250                                    255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
                                     260                                    265                                    270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
                                     275                                    280                                    285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
                                     290                                    295                                    300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr



305	310	315	320
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg	325	330	335
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His	340	345	350
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu	355	360	365
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln	370	375	380
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn	385	390	395
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu	405	410	415
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro	420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu	435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp	450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn	465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu	485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly	500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His	515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln	530	535	540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus  
  
<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagacct 60

ctggagaagc cgcattccct gtcattggcc cctactgtgc cccgcacccc cttctctcc 120

tgggtgcaggc ggcggcactg gcagcggccc tggcggaggg caccctgcct gccttcctgc 180

cctgtgagct ccagcccat ggtcaggtgg actgcaactg gctgttcctg aagtctgtgc 240

cgcacttttc ggtcggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca cttgcatgac tctgacttcg tccacctgtc caacctgcgg gtcctcaacc	360
tcaagtggaa ctgcccgcg gccggcctca gcccacatgca cttcccctgc cgtatgacca	420
tcgagcccaa caccttcctg gctgtgcca ccctggagga gctgaacctg agctacaacg	480
gcatcacgac cgtgcctgcc ctgcccagtt ccctcgtgtc cctgtcgtg agccacacca	540
gcatcctggg gctaggcccc acccacttca ccggcctgca cgcctgcgc tttctgtaca	600
tggacggcaa ctgctactac atgaaccct gcccgcgggc cctggagggtg gcccaggcg	660
ccctcctcgg cctgggcaac ctcacgcacc tgtcgtcaa gtacaacaac ctcacggagg	720
tgccccgcg cctgcccccc agcctggaca ccctgctgct gtccctacaac cacattgtca	780
ccctggcacc cgaggacctg gccaacctga ctgccctgcg cgtgcttgac gtgggtggga	840
actgccgcg ctgcgaccat gcccgcaacc cctgcaggga gtgcccagg aacttcccca	900
agctgcaccc tgacaccttc agtcacctga gccgcctcga aggcctggtg ttgaaggaca	960
gttctctcta caaactagag aaagattggg tccgcggcct gggcaggctc caagtgtcgt	1020
acctgagtga gaacttcctc tatgaactaca tcaccaagac caccatcttc aacgacctga	1080
cccagctgcg cagactcaac ctgtccttca attaccacaa gaagggtgtc ttcgcccacc	1140
tgcacctagc gtctctctt gggagttctg tgtccctgga gaagctggac atgcacggca	1200
tcttcttcg ctccctcacc aacatcacgc tccagtcgt gaccggctg cccaagctcc	1260
agagtctgca tctgcagctg aacttcacat accaggccca gctcagcatc tttggggcct	1320
tcccagacct gctcttcgtg gacctgtcgg acaaccgcat cagcggagcc gcgacgccag	1380
cggccgcctt gggggagggtg gacagcaggg tggaagtctg gcgattgccc aggggcctcg	1440
ctccaggccc gctggacgcc gtcagctcaa aggacttcac gccaaagctgc aacctcaact	1500
tcaccttgga cctgtcacgg aacaacctgg tgacaatcca gcaagagatg tttacccgcc	1560
tctccgcct ccagtgcctg cgctgagcc acaacagcat ctgcagggc gttaatggct	1620
cccagttcgt gccgtgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc	1680
tgtaccatgg gcgctcatc acggagctgc cgcagctgga ggcactggac ctcagctaca	1740
acagccagcc cttcagcatg cagggcgtgg gccacaacct cagcttcgtg gccagctgc	1800
cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc	1860
tcagcagcgc ctggttgccg gccctggact tcagcggcaa ctccctgagc cagatgtggg	1920
ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc	1980
tgtccgagaa ccattctgcac accctcctgc ctgctcacct ggacaacctg cccaagagcc	2040



```

tgccgcagct gcgctctccg gacaataacc tggccttctt caactggagc agcctgaccg 2100
tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160
gcagcctgcc gcctggcatc cggctccaga agctggacgt gagcagcaac agcatcggct 2220
tcgtgatccc cggcttcttc gtccgcgcga ctccgctgat agagcttaac ctccagcgcca 2280
atgccctgaa gacagtggat cctcctcggg tcggttctt agcagggacc ctgaaaatcc 2340
tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggcttttgtg gacttcttgc 2400
tgagagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460
agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagacctct 2520
ccttggaactg ctttggcctc tcaactgctaa tgggtggcgt gggcctggca gtgccatgc 2580
tgcaccacct ctgtggctgg gacctctggg actgcttcca cctgtgtctg gccatttgc 2640
cccgacggcg gcggcagcgg ggcgaggaca cctgctcta tgatgccgtc gtggctcttcg 2700
acaaggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760
agcgccgggg gcgcggggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820
agacgtcttt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880
tggaccacac ggaccgggtc agcggcctcc tgcgcgccag ctctctgctg gccacgcagc 2940
gcctgtttga ggaccgcaag gacgtcgtag tgctggatgat cctgcgcccc gccgcctatc 3000
ggctcccgtc cgtgcggctg cgcacgcgc tctgcgcga gagcgtcttc ctctggcccc 3060
accagcccag tggccagggt agttctctgg ccaacctggg catagccctg accagggaca 3120
accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180
tgactgcca g 3191

```

&lt;210&gt; 12

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Bos taurus

&lt;400&gt; 12

```

atgggcccct actgtgcccc gcaccccctt tctctcctgg tgcaggcggc ggcactggca 60
ggggccctgg ccgagggcac cctgcctgcc ttcttgccct gtgagctcca gcccctggg 120
cagggtggact gcaactggct gttcctgaag tctgtgccgc acttttcggc tggagcccc 180
cgggccaatg tcaccagcct ctcttaata tccaaccgca tccaccactt gcatgactct 240
gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaactg cccgcgggcc 300
ggcctcagcc ccatgcactt cccctgccgt atgaccatcg agcccaacac ctctctgggt 360

```

gtgcccaccc	tggaggagct	gaacctgagc	tacaacggca	tcacgaccgt	gcctgccttg	420
cccagttccc	tcgtgtccct	gtcgctgagc	cacaccagca	tcctggtgct	aggccccacc	480
cacttcacccg	gcctgcacgc	cctgcgcttt	ctgtacatgg	acggcaactg	ctactacatg	540
aacccctgcc	cgcgggccct	ggaggtggcc	ccaggcgccc	tcctcggcct	gggcaacctc	600
acgcacctgt	cgctcaagta	caacaacctc	acggaggtgc	cccgccgcct	gccccccagc	660
ctggacaccc	tgctgctgtc	ctacaaccac	attgtcaccc	tggcaccgga	ggacctggcc	720
aacctgactg	ccctgcgcgt	gcttgacgtg	ggtgggaact	gccgcgcgtg	cgaccatgcc	780
cgcaaccocct	gcagggagtg	cccaaagaac	ttccccaagc	tgcacctga	caccttcagt	840
cacctgagcc	gcctcgaagg	cctggtgttg	aaggacagtt	ctctctacaa	actagagaaa	900
gattggttcc	gcggcctggg	caggctccaa	gtgctcgacc	tgagtgagaa	cttcctctat	960
gactacatca	ccaagaccac	catcttcaac	gacctgaccc	agctgcgcag	actcaacctg	1020
tccttcaatt	accacaagaa	ggtgtccttc	gccacctgc	acctagcgtc	ctcctttggg	1080
agtctggtgt	ccctggagaa	gctggacatg	cacggcatct	tcttcgcctc	cctcaccaac	1140
atcacgctcc	agtcgctgac	ccggctgccc	aagctccaga	gtctgcatct	gcagctgaac	1200
ttcatcaacc	aggcccagct	cagcatcttt	ggggccttcc	cgagcctgct	cttcgtggac	1260
ctgtcggaca	accgcatcag	cggagccgcg	acgccagcgg	ccgccctggg	ggaggtggac	1320
agcaggggtg	aagtctggcg	attgcccagg	ggcctcgctc	caggcccgtc	ggacgcgcgc	1380
agctcaaagg	acttcatgcc	aagctgcaac	ctcaacttca	ccttggacct	gtcacggaac	1440
aacctggtga	caatccagca	agagatgttt	acccgcctct	ccgcctcca	gtgcctgcgc	1500
ctgagccaca	acagcatctc	gcaggcggtt	aatggctccc	agttcgtgcc	gctgaccagc	1560
ctgcgagtgc	tcgacctgtc	ccacaacaag	ctggacctgt	accatgggcg	ctcattcacg	1620
gagctgcgc	agctggaggc	actggacctc	agctacaaca	gccagccctt	cagcatgcag	1680
ggcgtggggc	acaacctcag	cttogtggcc	cagctgccct	ccctgcgcta	cctcagcctt	1740
gcgcacaatg	gcattccacag	ccgcgtgtca	cagaagctca	gcagcgcctc	gttgcgcgcc	1800
ctggacttca	gctggcaactc	cctgagccag	atgtgggccc	aggagacct	ctatctctgc	1860
tttttcaaag	gcttgaggaa	cctggtccag	ctggacctgt	ccgagaacca	tctgcacacc	1920
ctcctgcctc	gtcacctgga	caacctgccc	aagagcctgc	ggcagctgcg	tctccgggac	1980
aataacctgg	ccttcttcaa	ctggagcagc	ctgaccgtcc	tgccccggct	ggaagccctg	2040
gatctggcag	gaaaccagct	gaaggccctg	agcaacggca	gcctgcgcgc	tggcatccgg	2100
ctccagaagc	tggacgtgag	cagcaacagc	atcggtctcg	tgatccccgg	cttcttcgtc	2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcctgggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgcgc 2280  
 cactgcgcct gcggggcggc ctttgtggac ttcctgctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt ccgggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165 170 175  
 Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190  
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205  
 Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220  
 Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240  
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255  
 Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270  
 Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285  
 Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300  
 Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320  
 Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335  
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350  
 His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365  
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380  
 Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
 835 840 845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
 850 855 860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                                      870                                      875                                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
    885                                      890                                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
    900                                      905                                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
    915                                      920                                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
    930                                      935                                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
    945                                      950                                      955                                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
    965                                      970                                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
    980                                      985                                      990  
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
    995                                      1000                                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
    1010                                      1015                                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
    1025                                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                                      5                                      10                                      15  
  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
    20                                      25                                      30  
  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45
Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn		
50	55	60
Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp		
65	70	75 80
Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp		
	85 90	95
Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met		
	100 105	110
Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu		
	115 120	125
Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser		
	130 135	140
Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro		
145	150 155	160
Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly		
	165 170	175
Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro		
	180 185	190
Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr		
	195 200	205
Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr		
	210 215	220
Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu		
225	230 235	240
Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg		
	245 250	255
Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe		
	260 265	270



Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
805 810 815

Asp Cys Phe Gly  
820

<210> 15  
<211> 3391  
<212> DNA  
<213> Equus caballus

<400> 15  
ctctgtttctc tgagctgttg ccgogtgaag ggactgcgag cacaaagcat cctcctctgc 60  
agctgctgcc cagtgtgcca gctggaccct ctggatcatc tcccactccc tgtcatgggc 120  
ccttgccatg gtgccttgca gccctgtct ctctgggtgc aggcggccat gctggcctg 180  
gctctggccc aaggcaccct gcctcccttc ctgccctgtg agctccagcc ccacggcctg 240  
gtgaactgca actggctgtt cctgaagtcc gtgcccact tctcagcagc agcaccctgg 300  
gacaatgtca ccagcctttc cttgctctcc aaccgcatcc accacctcca cgactccgac 360  
tttgcccaac tgtccaacct gcagaaactc aacctcaaat ggaactgccc gccagccggc 420  
ctcagcccca tgcacttccc ctgccacatg accatcgagc ccaacacttt cctggctgta 480  
cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540  
agctccctcg tgtccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
ctcacggggc tgcattgccct gcgcttcccta tacatggatg gcaactgcta ctacaagaac 660  
ccctgcgggc gggccctgga ggtggcccca ggccgctcc ttggcctggg caacctcacc 720  
cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc cctagcctg 780  
gagtacctgc tgttgtccta caaccacatt gtcacctgg cacctgagga cctggccaat 840  
ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
aaccctgcg tggagtggcc acataaattc cccagctgc actccgacac cttcagccac 960

ctaagccgcc	tagaaggcct	cgtgttgaag	gatagttctc	tctaccagct	gaaccccaga	1020
tggttcogtg	gcctgggcaa	cctcacagtg	ctcgacctga	gtgagaactt	cctctacgac	1080
tgcataccca	aaaccaaggc	attccagggc	ctggcccagc	tgcgaagact	caacttgtcc	1140
ttcaattacc	ataagaaggt	gtccttcgcc	cacctgacgc	tggcaccctc	cctcgggagc	1200
ctgctctccc	tgcaggaact	ggacatgcat	ggcatcttct	tccgctcact	cagccagaag	1260
acgctccagc	cactggcccc	cctgcccattg	ctccagcgtc	tgtatctgca	gatgaacttc	1320
atcaaccagg	cccagctcgg	catcttcaag	gacttccttg	gtctgcgcta	catagacctg	1380
tcagacaacc	gcatcagtgg	agctgtggag	ccggtggcca	ccacagggga	ggatggatgg	1440
gggaagaagg	tctggctgac	atccagggac	ctcactccag	gccactgga	cacccccagc	1500
tctgaggact	tcatgccaa	ctgcaagaac	ctcagcttca	ccttggacct	gtcacggaac	1560
aacctggtaa	cagtccagcc	agagatgttt	gccagctct	cgcgcctcca	gtgcctgcgc	1620
ctgagccaca	acagcatctc	gcaggcggtc	aatggctcac	agttcgtgcc	actgaccagc	1680
ctgcaggtgc	tggacctgtc	ccataacaaa	ctggacctgt	accatgggcg	ctcgtttacg	1740
gagctgccgc	gactggaggc	cctggacctc	agctacaaca	gccagccctt	cagcatgcgg	1800
gggtgtgggc	acaacctcag	ctttgtggcc	cagctgccca	ccttgcgcta	cctcagcctg	1860
gcacacaatg	gcatccacag	ccgtgtgtcc	cagcagctct	gcagcacctc	gctgtggggc	1920
ctggacttca	gcggcaattc	cctgagccag	atgtgggctg	aggagacct	ctatctccgc	1980
ttcttccaag	gcctgagaag	cctaattccg	ctagacctgt	cccagaatcg	tctgcatacc	2040
ctcctgccat	gcacctggg	caacctcccc	aagagcttgc	agctgctgcg	tctccgtaac	2100
aattacctgg	ccttcttcaa	ttggagcagc	ctgacctctc	tgcccaacct	ggaaaccttg	2160
gacctggctg	gaaaccagct	gaaggctctg	agcaatggca	gcctgccttc	tggcaccacg	2220
ctccagaggc	tggacgtcag	caggaacagc	atcatcttcg	tggtcctctg	cttcttttgt	2280
ctggccacga	ggctgcgaga	gctcaacctc	agtgccaaag	ccctcaggac	agaggagccc	2340
tcctggtttg	gtttcctagc	aggctccctt	gaagtccctg	atgtgagcgc	caacctcttg	2400
cactgcgcct	gtggggcagc	ctttgtggac	ttcctgctgc	aggttcaggc	tgcctgtcct	2460
ggctctgccca	gccgcgtcaa	gtgtggcagt	ccgggccagc	tccagggccg	cagcatcttc	2520
gcacaagacc	tgcgcctctg	cctggacaag	tccctctcct	gggactgttt	tggctctctca	2580
ttgctgggtg	tggccctggg	cctggccattg	cctatgttgc	accacctctg	cggctgggac	2640
ctctggtact	gcttccacct	gggcctggcc	tggctgcccc	ggcgggggtg	gcagcggggc	2700

gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
 gactgggtgt acaatgaact ggggtgcgg ctagaggagc gccgtggcg ccgggcgctc 2820  
 cgcctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
 gcctcagtct acagcagccg caagatgctg tttgtgctgg ccacacgga ccaggtcagt 2940  
 ggctctctgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
 gttgtggtgc tggtaatcct gagccctgac gccgcgcgtt cccgttacgt gcggctgcgc 3060  
 cagcgcctct gccgccagag tgcctcttc tggccccacc agcctagtgg ccagcgcagc 3120  
 ttctgggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
 ttctgcgggg gccgcacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240  
 ccagccctga ccttgctctc ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
 tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360  
 caggccaaac agccaaaaa aaaaaaaaaa a 3391

<210> 16

<211> 2460

<212> DNA

<213> Equus caballus

<400> 16

atggggccctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60  
 gccgtggctc tggcccaagg caccctgcct cccttcctgc cctgtgagct ccagcccccac 120  
 ggcttggtga actgcaactg gctgttcctg aagtccgtgc ccacttctc agcagcagca 180  
 ccccgggaca atgtcaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240  
 tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccgcga 300  
 gccggcctca gcccctatgca ctccctctgc cacatgacca tcgagcccaa cactttcctg 360  
 gctgtaccca ccctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420  
 ctgcccagct ccctcgtgtc cctgatcctg agccgcacca acatcctgca gctagacccc 480  
 accagcctca cgggcctgca tgccctgcgc ttctataca tggatggcaa ctgctactac 540  
 aagaaccctt gggggggggc cctggagggtg gcccaggcg ccctccttgg cctgggcaac 600  
 ctacccacc tgtcactcaa gtacaacaac ctcaaacgg tgccccgcag cctgccccct 660  
 agcctggagt acctgctgtt gtccataaac cacattgtca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgtgtctgat gtgggtggaa actgccgcg ctgtgaccat 780  
 gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

```

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac    900
cccagatggg tccgtggcct gggcaacctc acagtgcctg acctgagtga gaacttcctc    960
tacgactgca tcacaaaaac caaggcattc cagggcctgg ccagctgcg aagactcaac   1020
ttgtccttca attaccataa gaaggtgtcc ttgccccacc tgacgctggc accctccttc   1080
gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctcaactcagc   1140
cagaagacgc tccagccact ggcccgctg cccatgctcc agcgtctgta tctgcagatg   1200
aacttcatac accaggccca gctcggcatc ttcaaggact tccctggctc gcgctacata   1260
gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg   1320
gatggtgagg agaaggtctg gctgacatcc agggacctca ctccaggccc actggacacc   1380
cccagctctg aggacttcat gccaaactgc aagaacctca gcttcacctt ggacctgtca   1440
cggaacaacc tggtaacagt ccagccagag atgtttgcc agctctcgcg cctccagtgc   1500
ctgcgcctga gccacaacag catctcgagc gcggtcaatg gctcacagtt cgtgccactg   1560
accagcctgc aggtgctgga cctgtcccat acaaaactgg acctgtacca tgggcgctcg   1620
tttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc   1680
atgccccgtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgctacctc   1740
agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgctg   1800
tgggccctgg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat   1860
ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgtctg   1920
cataccctcc tgccatgcac cctgggcaac ctccccaaaga gcttgagct gctgogtctc   1980
cgtaacaatt acctggcctt cttcaattgg agcagcctga cctcctgcc caacctggaa   2040
acctggacc tggttggaac ccagctgaag gctctgagca atggcagcct gccttctggc   2100
accagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccttggtctc   2160
tttgctctgg caacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag   2220
gagccctcct gggttggttt cctagcaggc tcccttgaag tccatagatgt gaggcccaac   2280
cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgcctcaggt tcaggctgcc   2340
gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc   2400
atcttcgcac aagaacctgc cctctgcctg gacaagtccc tctcctggga ctgttttggg   2460

```

&lt;210&gt; 17

&lt;211&gt; 1029

&lt;212&gt; PRT

&lt;213&gt; Ovis aries

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240  
 Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255  
 Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270  
 Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285  
 Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300  
 Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320  
 Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
 325 330 335  
 Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350  
 Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365  
 Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380  
 Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400  
 Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415  
 Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430  
 Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445  
 Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460



Phe	Met	Pro	Ser	Cys	Asn	Leu	Asn	Phe	Thr	Leu	Asp	Leu	Ser	Arg	Asn
465					470					475					480
Asn	Leu	Val	Thr	Ile	Gln	Gln	Glu	Met	Phe	Thr	Arg	Leu	Ser	Arg	Leu
				485					490					495	
Gln	Cys	Leu	Arg	Leu	Ser	His	Asn	Ser	Ile	Ser	Gln	Ala	Val	Asn	Gly
			500					505					510		
Ser	Gln	Phe	Val	Pro	Leu	Thr	Arg	Leu	Arg	Val	Leu	Asp	Leu	Ser	Tyr
		515					520					525			
Asn	Lys	Leu	Asp	Leu	Tyr	His	Gly	Arg	Ser	Phe	Thr	Glu	Leu	Pro	Gln
	530					535					540				
Leu	Glu	Ala	Leu	Asp	Leu	Ser	Tyr	Asn	Ser	Gln	Pro	Phe	Ser	Met	Gln
545					550					555					560
Gly	Val	Gly	His	Asn	Leu	Ser	Phe	Val	Ala	Gln	Leu	Pro	Ser	Leu	Arg
				565					570					575	
Tyr	Leu	Ser	Leu	Ala	His	Asn	Gly	Ile	His	Ser	Arg	Val	Ser	Gln	Lys
			580					585					590		
Leu	Ser	Ser	Ala	Ser	Leu	Arg	Ala	Leu	Asp	Phe	Ser	Gly	Asn	Ser	Leu
			595				600					605			
Ser	Gln	Met	Trp	Ala	Glu	Gly	Asp	Leu	Tyr	Leu	Cys	Phe	Phe	Lys	Gly
	610					615					620				
Leu	Arg	Asn	Leu	Val	Gln	Leu	Asp	Leu	Ser	Lys	Asn	His	Leu	His	Thr
625					630					635					640
Leu	Leu	Pro	Arg	His	Leu	Asp	Asn	Leu	Pro	Lys	Ser	Leu	Arg	Gln	Leu
				645					650					655	
Arg	Leu	Arg	Asp	Asn	Asn	Leu	Ala	Phe	Phe	Asn	Trp	Ser	Ser	Leu	Thr
			660					665					670		
Val	Leu	Pro	Gln	Leu	Glu	Ala	Leu	Asp	Leu	Ala	Gly	Asn	Gln	Leu	Lys
		675					680					685			
Ala	Leu	Ser	Asn	Gly	Ser	Leu	Pro	Pro	Gly	Thr	Arg	Leu	Gln	Lys	Leu
						695					700				

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930                                      935                                      940  
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945                                      950                                      955                                      960  
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965                                      970                                      975  
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980                                      985                                      990  
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
 995                                      1000                                      1005  
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010                                      1015                                      1020  
 Gly Pro Thr Thr Ala Glu  
 1025  
 <210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries  
 <400> 18  
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1                                      5                                      10                                      15  
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20                                      25                                      30  
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35                                      40                                      45  
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50                                      55                                      60  
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65                                      70                                      75                                      80  
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85                                      90                                      95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn		
115	120	125
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu		
130	135	140
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr		
145	150	155 160
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn		
165	170	175
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly		
180	185	190
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn		
195	200	205
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu		
210	215	220
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala		
225	230	235 240
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg		
245	250	255
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro		
260	265	270
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu		
275	280	285
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg		
290	295	300
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr		
305	310	315 320
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg		
325	330	335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> *Ovis aries*

<400> 19  
 gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgcca acttgcccgc 60  
 cagacctctt ggagaagccg cattccctgc catggggccc tactgtgccc cgcacccctt 120  
 ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gccaggggca ccctgcctgc 180  
 cttcctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttcctgaa 240  
 gtctgtgccg cgcttttcgg ccggagcccc ccgggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt 360  
 cctcaacctc aagtggaaact gcccgccggc cggcctcagc cccatgcact tcccctgccg 420  
 catgaccatc gagcccaaca cttccttggc tgtgcccacc ctggaggagc tgaacctgag 480  
 ctacaatggc atcacgaccg tgcctgccct gccagttct ctcgatatcc tgtcgtgag 540  
 ccgcaccagc atcctggtgc taggccccac ccacttcacc ggcttcgacg cctgcgcctt 600  
 tctgtacatg gacggcaact gctactataa gaaccctgc cagcaggccg tggagggtggc 660  
 cccaggcgcc ctccctggcc tgggcaacct caccgacctg tcgctcaagt acaacaacct 720  
 caccggagggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccgg aggacctggc caatctgact gccctgcgtg tgcttgatgt 840  
 gggcggggaa tgcgcgcgct gcgaccacgc ccgcaacccc tgcagggagt gcccaaagaa 900  
 cttccccaag ctgcacctg acaccttcag ccacctgagc cgcctcgaag gcctgggtgtt 960  
 gaaggacagt tctctctaca aactagagaa agactggttc cgcggcctgg gcaggctcca 1020  
 agtgctcgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt 1140  
 cgcccacctg caactggcac ctccttttgg gggcctgggtg tccttgaga agctggacat 1200  
 gcacggcatc ttcttcgct cctcaccaa caccacgctc cggcgcgtga ccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gcgcacctc gggagggtga cagcggggtg gaagtctggc ggtggcccag 1440

gggcctcget ccaggcccgc tggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500  
 cctcaacttc accttgacc tgtcacgaa caacctgggtg acgatccagc aggagatggt 1560  
 taccgcctc tccgcctcc agtgccctgc cctgagccac aacagcatct cgcaggcgggt 1620  
 taatggctcg cagttcgtgc cgctgaccgc cctgcgagtg ctgcacctgt cctacaacaa 1680  
 gctggacctg taccatgggc gctcggtcac ggagctgccg cagctggagg cactggacct 1740  
 cagctacaac agccagccct tcagcatgca gggcgtgggc cacaacctca gcttcgtggc 1800  
 ccagctgccg tccctgcgtt acctcagcct tgccgacaaac ggcattccaca gccgcgtgtc 1860  
 acagaagctc agcagcgcct cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920  
 gatgtgggcc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctgggtcca 1980  
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040  
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100  
 cctgactgtt ctgccccagc tggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160  
 gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220  
 catcggcttt gtgacctctg gcttctttgt ccttgccaac cggctgaaag agcttaacct 2280  
 cagcgccaac gccctgaaga cagtggatcc cttctggttc ggctcgctta cagagacct 2340  
 gaatatccta gacgtgagcg ccaaccgcct ccactgtgcc tgcggggcgg cctttgtgga 2400  
 cttctgtctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460  
 tccgggccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520  
 gacctctctc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcgggt 2580  
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640  
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700  
 ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760  
 gctggaggag cgcgcggggc gccgggcgtt ccgcctctgc ctggaggagc gagactgggt 2820  
 ccctggcaag acgctcttcg agaacctgtg ggcctcggtc tacagcagcc gtaagacct 2880  
 gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tcctgctggc 2940  
 ccagcagcgc ctgttgagg accgcaagga tgtcgtgggt ctggtgatcc tgcgccccgc 3000  
 cgcctaccgg tcccgctacg tgcggctgcg ccagcgcctc tgccgccaga gcgtcctcct 3060  
 ctggccccac cagcccagtg gccagggtag cttctggggc aacctgggca tggccctgac 3120  
 cagggacaac cgccacttct ataaccggaa cttctgccgg ggccccacga cagccgaata 3180



gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Ovis aries

&lt;400&gt; 20

atggggccctt actgtgcccc gcacccccctt tctctcctgg tgcaggcggc ggcgctggca 60  
gcagccctgg ccagggcac cctgcctgcc ttctgcccgt gtgagctcca gcccgggggt 120  
aaggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagccccc 180  
cgggccaatg tcaccagcct ctcttaatac tccaaccgca tccaccactt gcacgactct 240  
gacttcgtcc acctgtccaa cctgcggggtc ctcaacctca agtggaactg cccgcgggct 300  
ggcctcagcc ccctgcactt cccctgcgcg atgaccatcg agcccaacac ctctcctggct 360  
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccttg 420  
cccagttctc tcgtatccct gtcgtgagc cgcaccagca tcttggtgct agggccccacc 480  
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag 540  
aacccttgcc agcaggccgt ggaggtggcc ccaggcgccc tcttggcct gggcaacctc 600  
acgcacctgt cgtcaagta caacaacctc acggaggtgc cccgcgcctt gccccccagc 660  
ctggacaccc tgetgctgtc ctacaaccac atcatcacc tggcaccgga ggacctggcc 720  
aatctgactg ccctgcgtgt gcttgatgtg ggcggggaact gcgcgcgtg cgaccacgcc 780  
cgcaaccctt gcaggagtg cccaaagaac ttccccaagc tgcaccctga caccttcagc 840  
cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa 900  
gactggttcc gcgccctggg caggctccaa gtgctcgacc tgagttagaa ctctctctat 960  
gactacatca ccaagaccac catcttcagg aacctgacc agctgcgcag actcaacctg 1020  
tcttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg 1080  
ggcctggtgt ccctggagaa gctggacatg cagggcatct tcttcgctc cctcaccaac 1140  
accacgctcc ggccgctgac ccagctgcc aagctccaga gtctgagtct gcagctgaac 1200  
ttcatcaacc aggcogagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac 1260  
ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgccctcgg ggaggtggac 1320  
agcgggggtg aagtctggcg gtggcccagg ggcctcgtc caggcccgtt ggccgcgctc 1380  
agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggaact gtcacggaac 1440  
aacctggtga cgatccagca ggagatgttt accgcctct cccgcctcca gtgcctgcgc 1500

```

ctgagccaca acagcatctc gcaggcgggtt aatggctcgc agttcgtgcc gctgaccgcg 1560
ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctogttcacg 1620
gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680
ggcgtgggccc acaacctcag cttegtggcc cagctgccgt ccctgcgcta cctcagcctt 1740
gcgcacaaag gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800
ctggacttca gcggaactc cctgagccag atgtgggccc agggagacct ctatctctgc 1860
ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920
ctcctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980
aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgccccagct ggaagccctg 2040
gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccgcg 2100
ctccagaagc tggacgtgag cagcaacagc atcggtttg tgacccttg cttctttgtc 2160
cttgccaacc ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220
ttctggttcg gtcgcttaac agagaccctg aatatcctag acgtgagcgc caaccgcctc 2280
cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340
gggctgtcca ggcgcgtcac gtgtggcagt ccgggcccag tccagggccg cagcatcttc 2400
gcacaggacc tgcgcctctg cctggatgag acctctcctc tggactgctt tggc 2454

```

<210> 21  
 <211> 1032  
 <212> PRT  
 <213> Canis familiaris

<400> 21

```

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
          20           25           30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
          35           40           45

```

```

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn
          50           55           60

```

```

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro

545		550		555		560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu						
	565			570		575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg						
	580		585		590	
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser						
	595		600		605	
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg						
	610		615		620	
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn						
	625		630		635	640
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser						
	645		650		655	
Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp						
	660		665		670	
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly						
	675		680		685	
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln						
	690		695		700	
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro						
	705		710		715	720
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala						
	725		730		735	
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly						
	740		745		750	
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys						
	755		760		765	
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro						
	770		775		780	

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
 1025 1030

<210> 22  
 <211> 822  
 <212> PRT  
 <213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430



Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660	665	670
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly 675 680 685		
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln 690 695 700		
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro 705 710 715 720		
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala 725 730 735		
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly 740 745 750		
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys 755 760 765		
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro 770 775 780		
Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly 785 790 795 800		
Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu 805 810 815		
Ser Trp Val Cys Phe Ser 820		

```
<210> 23
<211> 3334
<212> DNA
<213> Canis familiaris
```

```

<400> 23
aggaagggggc tgtgagctcc aagcatcctt tctgcagct gctgcccagc ctgccagcca      60
gaccctctgg agaagcccc gctccctgtc atggggccct gccgtggcgc cctgcacccc      120
ctgtctctcc tgggtcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct      180
gccttcctgc cctgtgagct ccagcccat ggctggtga actgcaactg gctgttcctc      240
aagtccgtgc cccgcttctc ggcagctgca cccgcggta acgtcaccag cctttccttg      300

```

tactccaacc	gcatccacca	cctccatgac	tatgactttg	tccacttcgt	ccacctgcgg	360
cgtctcaatc	tcaagtggaa	ctgcccgcgc	gccagcctca	gccccatgca	ctttccctgt	420
cacatgacca	ttgagcccaa	caccttcctg	gctgtgcccc	ccctagagga	cctgaatctg	480
agctataaca	gcatcacgac	tgtgcccgc	ctgcccagtt	cgcttggtgc	cctgtccctg	540
agccgcacca	acatccctgt	gctggaccct	gccaccctgg	caggccttta	tgccctgcgc	600
ttcctgttcc	tggatggcaa	ctgctactac	aagaaccctc	gccagcaggc	cctgcagggt	660
gccccagggt	ccctccctggg	cctgggcaac	ctcacacacc	tgtcactcaa	gtacaacaac	720
ctcaccgtgg	tgccgcgggg	cctgcccccc	agcctggagt	acctgctctt	gtcctacaac	780
cacatcatca	ccctggcacc	tgaggacctg	gccaatctga	ctgccctgcg	tgtccctgat	840
gtgggtggga	actgtgcgcg	ctgtgaccat	gcccgtaacc	cctgcaggga	gtgccccaa	900
ggcttcccc	agctgcaccc	caacaccttc	ggccacctga	gccacctcga	aggcctgggt	960
ttgagggaca	gctctctcta	cagcctggac	cccagggtgt	tccatggcct	gggcaacctc	1020
atggtgctgg	acctgagtga	gaacttcctg	tatgactgca	tcacaaaaac	caaagccttc	1080
tacggcctgg	cccggtgcg	cagactcaac	ctgtccttca	attatcataa	gaagggtgtc	1140
tttgcccacc	tgcactctgg	atcctccttc	gggagcctac	tgtccctgca	ggagctggac	1200
atacatggca	tcttcttccg	ctcgtctcgc	aagaccacgc	tccagtgcgt	ggccccacct	1260
cccatgctcc	agcgtctgca	tctgcagttg	aactttatca	gccaggccca	gctcagcatc	1320
ttcggcgctc	tccctggact	gcggtagctg	gacttgctcag	acaaccgcat	cagtggagct	1380
gcagagcccc	cggctgccac	aggggaggta	gaggcagact	gtggggagag	agtctggcca	1440
cagtccccgg	accttgctct	gggcccactg	ggcaccoccg	gctcagaggc	cttcatgccg	1500
agctgcagga	ccctcaactt	caccttggac	ctgtctcgga	acaacctagt	gactgttcag	1560
ccggagatgt	ttgtccggct	ggcgcgcttc	cagtgcctgg	gcctgagcca	caacagcatc	1620
tcgcaggcgg	tcaatggctc	gcagttcgtg	cctctgagca	acctgcgggt	gctggacctg	1680
tcccataaca	agctggacct	gtaccacggg	cgtctgttca	cggagctgcc	gcggctggag	1740
gccttggacc	tcagctacaa	cagccagccc	ttcagcatgc	ggggcggtgg	ccacaatctc	1800
agctttgtgg	cacagctgcc	agccctgcgc	tacctcagcc	tggcgacaaa	tggcatccac	1860
agccgcgtgt	cccagcagct	ccgcagcgcc	tcgtccgggg	ccctggactt	cagtggcaat	1920
accctgagcc	agatgtgggc	cgaggggagac	ctctatctcc	gcttcttcca	aggcctgaga	1980
agcctgggtc	agctggacct	gtcccagaat	cgctcgcata	ccctccctgc	acgcaacctg	2040
gacaacctcc	ccaagagcct	gcggctcctg	cggctccgtg	acaattacct	ggctttcttc	2100

```

aactggagca gcctggccct cctaccaag ctggaagccc tggacctggc gggaaaccag 2160
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220
agcggcaaca gcctggcctt cgtgggtccc agcttttttg cctggcctg gaggcttcga 2280
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctggtt tggttccctg 2340
gcggttgccc tgaaagtcct agacgtgacc gccaacccct tgcattgcgc ttgcggcgca 2400
accttcgtgg acttcttgct ggaggtgcag gctgcggtgc ccggcctgcc tagccgtgtc 2460
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520
tgcctggacg aagcgctctc ctgggtctgt ttcagcctct cgctgctggc tgtggccctg 2580
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640
ctgtgcctgg cctggctgcc ccggcggggg cgcgggcggt gtgtggatgc cctggcctat 2700
gacgccttcg tggctctcga caaggcgcag agctcggtgg cggactgggt gtacaatgag 2760
ctgcgggtac agctagagga gcgcgtggg cgccgggcgc tacgcctgtg tctggaggaa 2820
cgtgactggg tacccgcaa aacctcttc gagaacctct gggcctcagt ttacagcagc 2880
cgcaagacgc tgtttgtgct ggcccgacg gacagagtoa gcggcctcct gcgtgccagc 2940
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggt gctggtgatc 3000
ctgtgccccg acgcccaccg ctcccgctat gtgcggtgc gccagcgct ctgccgccag 3060
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgccg gggccccacg 3180
acagcctgat aggcagacag ccagcacct tcgcgcccct acacctgcc tgtctgtctg 3240
ggatgcccga cctgctggct ctacacgcgc gctctgtctc cctacaccc agccctggca 3300
taaagcgacc gctcaataaa tgctgctggt agac 3334

```

```

<210> 24
<211> 2466
<212> DNA
<213> Canis familiaris

```

```

<400> 24
atgggcccct gccgtgggc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgcta 60
gccctggccc tggcccaggg caccctgcct gccttcctgc cctgtgagct ccagccccat 120
ggcctgggtga actgcaactg gctgttctcc aagtccgtgc ccgcttctc ggcagctgca 180
ccccgcggtg acgtcaccag cctttccttg tactccaacc gcatccacca cctccatgac 240
tatgactttg tccacttcgt ccacctggcg cgtctcaatc tcaagtggaa ctgcccgcgc 300

```

```

gccagcctca gcccacatgca ctttcctgt cacatgacca ttgagcccaa caccttcctg   360
gctgtgccca ccctagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc   420
ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggg gctggaccct   480
gccaccctgg caggccttta tgccctgcgc ttctgttcc ttgatggcaa ctgctactac   540
aagaaccctt gccagcaggc cctgcagggt gcccagggtg cctcctggg cctgggcaac   600
ctcacacacc tgtcactcaa gtacaacaac ctcaccgtgg tgccgcgggg cctgcccccc   660
agcctggagt acctgtcttt gtccataaac cacatcatca ccctggcacc tgaggacctg   720
gccaatctga ctgccctgcg tgcctcgtat gtgggtggga actgtcgccg ctgtgacctat   780
gcccgtaac cctgcaggga gtgccccaa ggcttcccc agctgcaccc caacaccttc   840
ggccacctga gccacctga aggcctgggt ttgagggaca gctctctcta cagcctggac   900
cccagggtgt tccatggcct gggcaacctc atgggtgctgg acctgagtga gaacttcctg   960
tatgactgca tcacaaaac caaagccttc tacggcctgg ccgggtgcg cagactcaac  1020
ctgtccttca attatcataa gaagggtgtc tttgccacc tgcactggc atcctccttc  1080
gggagcctac tgtccctgca ggagctggac atacatggca tcttcttcg ctcgctcagc  1140
aagaccacgc tccagtctgt ggcccacctg cccatgctcc agcgtctgca tctgcagttg  1200
aactttatca gccaggccca gctcagcatc ttgggcgcct tcctggact gcggtacgtg  1260
gacttgtcag acaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggtat  1320
gaggcagact gtggggagag agtctggcca cagtccggg accttgctct gggccactg  1380
ggcaccctcg gctcagaggc cttcatgccg agctgcagga cctcaactt caccttggac  1440
ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgcctc  1500
cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg  1560
cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg  1620
cgctcgttca cggagctgcc gcggctggag gccttggacc tcagctacaa cagccagccc  1680
ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgcgc  1740
tacctcagcc tggcgcacaa tggcatccac agccgcgtgt cccagcagct ccgcagcgcc  1800
tcgctccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgaggagac  1860
ctctatctcc gcttcttcca aggcctgaga agcctggttc agctggacct gtcccagaat  1920
cgctgcata cctcctgcc acgcaacctg gacaacctcc ccaagagcct gcggctcctg  1980
cggctccgtg acaattacct ggctttcttc aactggagca gcctggccct cctacccaag  2040

```

```

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100
aacggcacccc agctccagag gctggacctc agcggcaaca gcatcggctt cgtgggtcccc 2160
agcttttttg ccttgccgt gaggttcga gagctcaacc tcagcgccaa cgccctcaag 2220
acggtgggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtcc agacgtgacc 2280
gccaaccctc tgcattgcgc ttgcggcgca accttcgtgg acttcttget ggaggtgcag 2340
gctgcgggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400
cgcagcatct tcgcacagga cctgcgcctc tgccctggacg aagcgcctct ctgggtctgt 2460
ttcagc 2466

```

```

<210> 25
<211> 1031
<212> PRT
<213> Felis catus

```

```

<400> 25

```

```

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
20           25           30

```

```

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

```

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
85           90           95

```

```

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
100           105           110

```

```

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
115           120           125

```

```

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
130           135           140

```

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400  
 Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430  
 Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445  
 Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460  
 Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480  
 Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495  
 Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510  
 Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525  
 Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540  
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560  
 Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575  
 Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590  
 Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605  
 Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe



610	615	620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635 640
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg		
	645	650 655
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser		
	660	665 670
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln		
	675	680 685
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln		
	690	695 700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe		
705	710	715 720
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala		
	725	730 735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu		
	740	745 750
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala		
	755	760 765
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu		
	770	775 780
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser		
785	790	795 800
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp		
	805	810 815
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val		
	820	825 830
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His		
	835	840 845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26  
 <211> 820  
 <212> PRT  
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

```

<210> 27
<211> 3235
<212> DNA
<213> Felis catus

<400> 27
aggggtctgcg agctccaggc attctttctct gccatcgctg cccagtctgc catccagacc 60
ctctggagaa gccccactc cctgtcatgg gcccttgcca tggcgccctg caccacctgt 120
ctctcctggg gcaggetgcc gcgctggcgg tggccctggc ccagggcacc ctgcctgcct 180
ttctgcccctg tgagctccag cgccacggcc tgggtgaattg cgactggctg ttcttcaagt 240
ccgtgccccca cttctgggag gcagcgcccc gtggtaacgt caccagcctt tccctgtact 300
ccaaccgcat ccaccacctc cactgactccg actttgtcca cctgtccagc ctgcggcgtc 360
tcaacctcaa atggaactgc ccaccgcca gcctcagccc catgcacttc cctgtcaca 420
tgaccattga gccccacacc ttcttggcgg tgcccaccct ggaggagctg aacctgagct 480
acaacagcat cactgacagta cccgccctgc ccagttccct cgtgtccctg tctttgagcc 540
gtaccaacat cctgggtgctg gaccttgcca acctcgcagg gctgcactcc ctgcgctttc 600
tgttcctgga tggcaactgc tactacaaga acccctgccc gcaggccctg caggtggccc 660
cgggcgcccct ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca 720
ctgcggtgcc ccgcggcctg cccccagcc tggagtacct gctattgtcc tacaaccaca 780

```

tcataccctt	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaacccttg	tatggagtgc	cccaagggct	900
tcccgacctt	gcacctgac	accttcagcc	acctgaacca	cctcgaaggc	ctgggtgttg	960
aggacagctc	tctctacaac	ctgaacccca	gatgggttcca	tgccttgggc	aacctcatgg	1020
tgtctggacct	gagtgagaac	ttcctatatg	actgcatcac	caaaaccaca	gccttccagg	1080
gcctggccca	gtgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacctgca	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgctcg	ctcagcgaga	ccacgctccg	gtcgtctggc	cacctgcccc	1260
tgtccagag	tctgcacctg	cagatgaact	tcataatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcga	tacgtggacc	tgtcagacaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggtcg	ccatctgggg	1440
acctagctct	ggggccaccg	ggcaccctta	gtctcgaggg	cttcatgcca	ggctgcaaga	1500
ccctcaactt	caccttggac	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgcccggtt	ctcgcgcctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgctgacca	gcctgcaggc	gtgggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggctggag	gccctggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcggtgg	tcacaacctc	agctttgttg	1800
cacagctgcc	ggccttgcgc	tatctcagcc	tggcgacaaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgctgcggg	ccttggactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgaggggagc	ctgtatctcc	acttcttccg	aggcctgagg	agcctggtcc	1980
ggttggatct	gtcccagaat	cgcttgcata	ccctcttgcc	acgcaccctg	gacaacctcc	2040
ccaagagcct	gcggctgctg	cgtctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tggacctggc	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgctt	aatggaacct	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgccaa	cgcctcaag	acggtggagc	cctcctgggt	cggttctcta	gcgggcaccc	2340
tgaagtcct	agatgtgact	ggcaaccccc	tgcactgcgc	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccagggtc	gtccaggggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgcttggatg	2520
aggccctctc	ctgggactgt	tttggcctct	cgtgctgac	cgtggccctg	ggcctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttccac ctgtgcctgg 2640  
 cctggctgcc ccggcggggg cggcggcggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctttcga caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760  
 ggctagagga gcgccgtgga cgcgcgagcg tccgcctgtg cctggaggaa cgtgactggc 2820  
 tacccggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggccacaca gacaggggtca gcggcctctt gcgcgccagc tttctgctgg 2940  
 cccagcagcg cctgctggag gaccgcaagg acgttgtggg gctggtgatc ctgcgccccg 3000  
 acgcccaccg ctcccgtat gtgcggctgc gccagcgccct ctgccgccag agcgtcctcc 3060  
 tctggcccca ccagccaggt ggccagcgca gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggccccacg acggcagagt 3180  
 gaccgcccag caccccaagc ctccacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28

<211> 2460

<212> DNA

<213> Felis catus

<400> 28

atggggccct gccatggcgc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggcttggtga attgcgactg gctgttcttc aagtccgtgc ccacttctc ggccgcagcg 180  
 ccccggtgta acgtcaccag cctttccctg tactccaacc gcattccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaattggaa ctgcccaccc 300  
 gccagcctca gcccacatgca ctcccccctgt cacatgacca ttgagcccca caccttccctg 360  
 gccgtgcccc ccctggagga gctgaacctg agctacaaca gcattcacgac agtaccgcgc 420  
 ctgcccagtt ccctcggtgc cctgtccttg agccgtacca acatcctggg gctggacctt 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgctactac 540  
 aagaacccct gccgcgaggc cctgcagggt gccccggcgg ccctccttgg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgg tgccccgcgg cctgcccccc 660  
 agcctggagt acctgctatt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgcctgcg tgtgtctgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgaacc cctgtatgga gtgcccacag ggcttccgc acctgcaccc tgacaccttc 840  
 agccacctga accacctga aggcctggtg ttgaaggaca gctctctcta caacctgaac 900



```

cccagatggg tccatgccct gggcaacctc atgggtgctgg acctgagtga gaacttccta 960
tatgactgca tcacaaaac cacagccttc cagggcctgg cccagctgcg cagactcaac 1020
ttgtctttca attaccacaa gaaggtgtcc tttgccacc tgcatctggc gccctccttc 1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttcg ctcgctcagc 1140
gagaccaogc tccggtcgct ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200
aacttcacat atcaggccca gctcagcatc ttcggggcct tccctggcct gcgatacgtg 1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg 1320
gatgggtggg agagagtccg gctgccatct ggggaacctag ctctgggccc accgggcacc 1380
cctagctccg agggcttcat gccaggctgc aagaccctca acttcacctt ggacctgtca 1440
cggacaacc tagtgacaat ccagccagag atgtttgcc ggctctcgcg cctccagtgc 1500
ctgctcctga gccgcaacag catctcgag gcagtcaacg gtcacaatt tatgccgctg 1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct 1620
ttcacggagc tgccgcggct ggaggccctg gaacctcagct acaacagcca gcccttcagc 1680
atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740
agcctggcgc acaacgacat ccacagccgt gtgtcccagc agctctgcag cgcctcgctg 1800
cgggccttgg acttcagcgg caatgccttg agccggatgt gggccgaggg agacctgtat 1860
ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtccca gaatcgctg 1920
cataccctct tgccacgcac cctggacaac ctccccaaga gcctgcggct gctgcgtctc 1980
cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa 2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattga 2100
accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160
tttgctctgg ccaccaggct gcgagagctc aacctcagt ccaacgccct caagacggtg 2220
gagccctcct ggttcggttc tctagcgggc accctgaaag tcctagatgt gactggcaac 2280
cccctgcact gcgcctgtgg ggcggccttc gtggacttct tgctggaggt gcagctgca 2340
gtgcccgcc tgccaggcca cgtcaagtgt ggcagtcag gtcagctcca gggccgcagc 2400
atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

```

```

<210> 29
<211> 1032
<212> PRT
<213> Mus musculus

```

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225		230		235		240
Ala Asn Leu Thr	Ser Leu Arg Val	Leu Asp Val Gly Gly	Asn Cys Arg			
	245		250		255	
Arg Cys Asp His	Ala Pro Asn Pro	Cys Ile Glu Cys Gly	Gln Lys Ser			
	260		265		270	
Leu His Leu His	Pro Glu Thr Phe	His His Leu Ser	His Leu Glu Gly			
	275		280		285	
Leu Val Leu Lys	Asp Ser Ser Leu	His Thr Leu Asn	Ser Ser Trp Phe			
	290		295		300	
Gln Gly Leu Val	Asn Leu Ser Val	Leu Asp Leu Ser	Glu Asn Phe Leu			
305		310		315		320
Tyr Glu Ser Ile	Asn His Thr Asn	Ala Phe Gln Asn	Leu Thr Arg Leu			
	325		330		335	
Arg Lys Leu Asn	Leu Ser Phe Asn	Tyr Arg Lys Lys	Val Ser Phe Ala			
	340		345		350	
Arg Leu His Leu	Ala Ser Ser Phe	Lys Asn Leu Val	Ser Leu Gln Glu			
	355		360		365	
Leu Asn Met Asn	Gly Ile Phe Phe	Arg Ser Leu Asn	Lys Tyr Thr Leu			
	370		375		380	
Arg Trp Leu Ala	Asp Leu Pro Lys	Leu His Thr Leu	His Leu Gln Met			
385		390		395		400
Asn Phe Ile Asn	Gln Ala Gln Leu	Ser Ile Phe Gly	Thr Phe Arg Ala			
	405		410		415	
Leu Arg Phe Val	Asp Leu Ser Asp	Asn Arg Ile Ser	Gly Pro Ser Thr			
	420		425		430	
Leu Ser Glu Ala	Thr Pro Glu Glu	Ala Asp Asp Ala	Glu Gln Glu Glu			
	435		440		445	
Leu Leu Ser Ala	Asp Pro His Pro	Ala Pro Leu Ser	Thr Pro Ala Ser			
	450		455		460	

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575



Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31

<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

```

tgtcagaggg agcctcgga gaatcctcca tctcccaaca tggttctccg tcgaaggact      60
ctgcacccct tgtccctcct ggtacaggct gcagtgtctg ctgagactct ggccttgggt      120
accctgcctg ctttctacc ctgtgagctg aagcctcatg gcctgggtgga ctgcaattgg      180
ctgttctctga agtctgtacc ccgtttctct gcggcagcat cctgtctcaa catcaccgc      240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttctg ccacctgtcc      300
aacctgcggc agctgaacct caagtggaa tgtccacca ctggccttag ccccttgac      360
ttctcttgcc acatgacct tgagcccaga accttctctg ctatgcgtac actggaggag      420
ctgaacctga gctataatgg tatcaccact gtgcccgcac tgcccagctc cctgggtgaat      480
ctgagcctga gccacaccaa catcctggtt ctagatgcta acagcctcgc cggcctatac      540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg      600
gtgaagggtga cccagggcg cctcctgggc ctgagcaatc tcaccatct gtctctgaag      660
tataacaacc tcacaaaggt gcccgcgcaa ctgcccccca gcctggagta cctcctggtg      720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga      780
gtacttgatg tgggtgggaa ttgcctgcgc tgcgaccatg cccccaatcc ctgtatagaa      840
tgtggccaaa agtccctcca cctgcacct gagaccttcc atcacctgag ccactctgga      900
ggcctgggtgc tgaaggacag ctctctccat aactgaact cttcctggtt ccaaggctctg      960
gtcaacctct cgggtgtgga cctaagcgag aactttctct atgaaagcat caaccacacc     1020
aatgccttcc agaacctaac ccgcctgcgc aagctcaacc tgtccttcaa ttaccgcaag     1080
aaggatatct ttgcccgcct ccacctggca agttccttca agaacctggg gtcactgcag     1140
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg     1200
gccgatctgc ccaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag     1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatc     1320
agtgggcctt caacgtgtc agaagccacc cctgaagagg cagatgatgc agagcaggag     1380
gagctgttgt ctgcggatcc tcaccagct ccactgagca cccctgcttc taagaacttc     1440

```

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgctccaggt gtcttagcct gagccacaac	1560
tccattgcac aggctgtcaa tggctctcag ttcttgccgc tgactaatct gcagggtgctg	1620
gacctgtccc ataacaaact ggacttgtag cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtctct acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggcccgat gtgggatgag gggggccttt atctccatct cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatactct ccggccccag	1980
aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttctctg cccaacctgg aagtcttaga cctggcaggc	2100
aaccagctaa aggccctgac caatggcacc ctgcctaata gcacctctct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg	2280
cccattgtga tgaacctgac agttctagac gtgagaagca acctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttggag gtgcagacca aggtgcctgg cctggctaata	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcattcttcg acaggacctg	2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca tgggtggtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggccccga gccgacgcag cgcceaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gccgagttgc ggactgggtg	2700
tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgtg gcccacacgg accgcgtcag tggcctcctg	2880
cgcaccagct tctgtctggc tcagcagcgc ctgttgaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgogtccgga tgcccacgc tcccgtatg tgcgactgc ccagcgtctc	3000
tgccgccaga gtgtgtctct ctggccccag cagcccaacg ggcagggggg cttctggggc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggt	3180
tcccagttg ctctgcctgc	3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtg 60  
 gctgagactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120  
 ggccctgggtg actgcaattg gctgttcctg aagtctgtac ccggtttctc tgcggcagca 180  
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgcgg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccttgca cttctcttgc cacatgacca ttgagcccag aaccttcctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgccagct ccctggtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480  
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctc gcacaggagc ggtgaagggtg accccaggcg ccctcctggg cctgagcaat 600  
 ctcacccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggt gtcctataac ctcattgtca agctgggggc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtcctcc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggccctggtg ctgaaggaca gctctctcca tacactgaac 900  
 tottctctggt tccaaggctc ggtcaacctc tcgggtgctgg acctaaagca gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa cccgcctgcg caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggtatcc tttgcccgcc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tottcttccg ctgcgtcaac 1140  
 aagtacacgc tcagatggct ggccgatctg cccaaactcc acactctgca tcttcaaatg 1200  
 aacttcatca accaggcaca gctcagcatc tttggtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg totgcggatc ctcaccagc tccactgagc 1380  
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccg 1560

```

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccaactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgaggtttc ttgaattcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860
tatctccatt tcttocaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040
gaagtccctag acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaata 2100
ggcaccctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cagttctaga cgtgagaagc 2280
aaccctctgc actgtgcctg tggggcagcc ttcgtagact tactgttggg ggtgcagacc 2340
aagggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
ggc 2463

```

```

<210> 33
<211> 1032
<212> PRT
<213> Homo sapiens

```

```

<400> 33

```

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1          5          10          15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20          25          30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35          40          45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50          55          60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65          70          75          80

```

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
                     85                    90                    95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
                     100                    105                    110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                     115                    120                    125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
                     130                    135                    140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
                     145                    150                    155                    160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
                     165                    170                    175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
                     180                    185                    190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                     195                    200                    205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
                     210                    215                    220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
                     225                    230                    235                    240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                     245                    250                    255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
                     260                    265                    270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
                     275                    280                    285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
                     290                    295                    300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305                                      310                                      315                                      320  
 Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
    325                                      330                                      335  
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
    340                                      345                                      350  
 His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
    355                                      360                                      365  
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
    370                                      375                                      380  
 Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385                                      390                                      395                                      400  
 Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
    405                                      410                                      415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu  
    420                                      425                                      430  
 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu  
    435                                      440                                      445  
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu  
    450                                      455                                      460  
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465                                      470                                      475                                      480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
    485                                      490                                      495  
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val  
    500                                      505                                      510  
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu  
    515                                      520                                      525  
 Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu  
    530                                      535                                      540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780



Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
1025 1030

<210> 34  
<211> 820  
<212> PRT  
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430	
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu			
435	440	445	
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu			
450	455	460	
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser			
465	470	475	480
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser			
485	490	495	
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val			
500	505	510	
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu			
515	520	525	
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu			
530	535	540	
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly			
545	550	555	560
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr			
565	570	575	
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser			
580	585	590	
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn			
595	600	605	
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe			
610	615	620	
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu			
625	630	635	640
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln			
645	650	655	

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
 805 810 815

Asp Cys Phe Ala  
 820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat ccttcctgt agctgctgtc cagtctgccc gccagacctt 120

ctggagaagc ccctgcccc cagcatgggt ttctgccgca gcgccttgca cccgctgtct 180

ctcctgggtgc aggccatcat gctggccatg accctggccc tgggtacctt gctgccttc 240

ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300

gtgccccact tctccatggc agcaccctgt ggcaatgtca ccagcctttc cttgtcctcc	360
aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc	420
aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg	480
accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac	540
aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgtc cctcagccat	600
accaacatcc tgatgctaga ctctgccagc ctgcgcggcc tgcattgcct gcgcttcccta	660
ttcatggacg gcaactgtta ttacaagaac ccctgcaggc aggcactgga ggtggccccg	720
ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact	780
gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc	840
gtcaaaactgg cgcctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc	900
ggaaattgcc gccgctgcca ccacgtccc aaccttgca tggagtggcc tcgtcacttc	960
cccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag	1020
gacagttctc totcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagt	1080
ctggacctga gtgagaactt cctctacaaa tgcatacta aaaccaaggc cttccagggc	1140
ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcccttgcc	1200
cacctgtctc tggccccctc cttcgggagc ctggtcgccc tgaaggagct ggacatgcac	1260
ggcatcttct tccgctcact cgatgagacc acgctccggc cactggcccg cctgcccatg	1320
ctccagactc tgcgtctgca gatgaacttc atcaaccagg ccagctcgg catcttcagg	1380
gccttccttg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag	1440
ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac	1500
cttgctccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc	1560
ctcaacttca ccttggatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt	1620
gccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc	1680
aatggctccc agttcctgcc gctgaccggc ctgcagggtc tagacctgtc ccgcaataag	1740
ctggacctct accacgagca ctcatcacc gagctaccgc gactggaggc cctggacctc	1800
agctacaaca gccagccctt tggcatgcag ggcgtgggcc acaacttcag cttcgtggct	1860
cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc	1920
cagcagctct gcagtacgtc gctgcgggcc ctggacttca gcggcaatgc actgggccat	1980
atgtggggcc agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg	2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160  
 ctccacttcc tgcccaaaact ggaagtctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggt ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg ccctcaagac agtggaccac tcctggtttg ggccccctggc gagtgccttg 2400  
 caaatactag atgtaagcgc caacctctg cactgcgcct gtggggcggc ctttatggac 2460  
 ttcttgctgg aggtgcaggc tgccgtgccc ggtctgcca gccgggtgaa gtgtggcagt 2520  
 ccggggcagc tccagggcct cagcatcttt gcacaggacc tgggcctctg cctggatgag 2580  
 gccctctcct gggactgttt cgcctctctg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctgggtact gcttcacact gtgcctggcc 2700  
 tggcttccct ggcgggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttctgtgtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820  
 gggcagctgg aggagtgccg tgggcgctgg gactccgcc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gcaaaaacct ctttgagaac ctgtgggcct cggctctatgg cagccgcaag 2940  
 acgtgttttg tgctggccca cacggaccgg gtcagtggtc tcttgcgcg cagcttctg 3000  
 ctggcccagc agcgctgct ggaggaccgc aaggacgtcg tgggtgctggt gatcctgagc 3060  
 cctgacggcc gccgtcccg ctacgtgcgg ctgcgccagc gcctctgccg ccagagtgtc 3120  
 ctctctggc cccaccagcc cagtggctcag cgcagcttct gggcccagct gggcatggcc 3180  
 ctgaccaggg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240  
 tagccgtgag ccggaatcct gcacgggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggctctgacc ctccccctgct cgcctccctc accccacacc tgacacagag ca 3352

&lt;210&gt; 36

&lt;211&gt; 2460

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 36

atgggtttct gccgcagcgc cctgcaccgg ctgtctctcc tgggtgcaggc catcatgctg 60  
 gccatgacct tggccctggg taccttgctt gccttctac cctgtgagct ccagccccac 120  
 ggctggtga actgcaactg gctgttctct aagtctgtgc cccacttctc catggcagca 180  
 ccccgctggc atgtcaccag ctttctcttg tcctccaacc gcatccacca cctccatgat 240

tctgactttg	cccacctgcc	cagcctgagg	catctcaacc	tcaagtggaa	ctgcccggcg	300
gttggcctca	gccccatgca	cttcccctgc	cacatgacca	tcgagcccag	caccttcttg	360
gctgtgcccc	ccctggaaga	gctaaacctg	agctacaaca	acatcatgac	tgtgcctgcg	420
ctgccc aaat	ccctcatatc	cctgtccctc	agccatacca	acatcctgat	gctagactct	480
gccagcctcg	cgggcctgca	tgccctgagc	ttcctattca	tggacggcaa	ctgttattac	540
aagaaccctt	gcaggcaggc	actggagggtg	gccccgggtg	ccctccttgg	cctgggcaac	600
ctcaccaccc	tgtcactcaa	gtacaacaac	ctcactgtgg	tgccccgcaa	cctgccttcc	660
agcctggagt	atctgctgtt	gtcctacaac	cgcctcgtca	aactggcgcc	tgaggacctg	720
gccaatctga	cggccctgcg	tgtgctcgat	gtggggcgaa	attgcccggc	ctgcgaccac	780
gctcccaacc	cctgcatgga	gtgccctcgt	cacttccccc	agctacatcc	cgataccttc	840
agccacctga	gccgtcttga	aggcctgggtg	ttgaaggaca	gttctctctc	ctggctgaat	900
gccagttggg	tcctggtggc	gggaaacctc	cgagtgtctg	acctgagtga	gaacttccct	960
tacaaatgca	tcactaaaac	caaggccctc	cagggcctaa	cacagctgcg	caagcttaac	1020
ctgtccttca	attacaaaaa	gagggtgtcc	tttgcccacc	tgtctctggc	cccttccctc	1080
gggagcctgg	tcgccttgaa	ggagctggac	atgcacggca	tcttcttccg	ctcactcgat	1140
gagaccacgc	tccggccact	ggcccgcctg	cccatgctcc	agactctgcg	tctgcagatg	1200
aacttcatca	accaggccca	gctcggcatc	ttcagggcct	tccttggcct	gcgtacgtg	1260
gacctgtcgg	acaacggcat	cagcggagct	tcggagctga	cagccaccat	gggggaggca	1320
gatggagggg	agaaggctctg	gctgcagcct	ggggaccttg	ctccggcccc	agtggacaact	1380
cccagctctg	aagacttcag	gccc aactgc	agcaccctca	acttcacctt	ggatctgtca	1440
cgg aacaacc	tggtgaccgt	gcagccggag	atgtttgccc	agctctcgca	cctgcagtgc	1500
ctgcgcctga	gccacaactg	catctcgag	gcagtcaatg	gctcccagtt	cctgccgctg	1560
accggctctg	aggtgctaga	cctgtcccg	aataagctgg	acctctacca	cgagcaactca	1620
ttcaccggag	taccgcgact	ggaggccctg	gacctcagct	acaacagcca	gccctttggc	1680
atgcagggcg	tggggcacia	cttcagcttc	gtggctcacc	tgcgcacctc	gcgccacctc	1740
agcctggccc	acaacaacat	ccacagccaa	gtgtcccagc	agctctgcag	tacgtcgctg	1800
cgggcccctg	acttcagcgg	caatgcactg	ggccatattg	ggggcgaggg	agacctctat	1860
ctgcacttct	tccaaggcct	gagcggtttg	atctggctgg	acttgtccca	gaaccgcctg	1920
cacaccctcc	tgccccaaac	cctgcgcaac	ctccccaaga	gcctacaggt	gctgcgtctc	1980
cgtgacaatt	acctggcctt	ctttaagtgg	tggagcctcc	acttcctgcc	caaactggaa	2040



gtcctcgacc tggcaggaaa ccggctgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggtctcc ggaggttgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttggggc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggtgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37  
 <211> 26  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Synthetic oligonucleotide

<400> 37  
 accttgctg ccttcctacc ctgtga 26

<210> 38  
 <211> 21  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Synthetic oligonucleotide

<400> 38  
 gtccgtgtgg gccagcacia a 21

<210> 39  
 <211> 20  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Synthetic oligonucleotide

<400> 39  
 tccatgacgt ttttgatgtt 20

<210> 40  
 <211> 20  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgtcgtttt gtcgttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgctttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys  
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1                  5                                  10                                  15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid



<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

```
<210> 70
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 70
tccaggactt ctctcaggtt
```